

INDEX

Symbols

- ! (NOT) operator, 18
- " (quotation mark) XML entity, 301
- \$ (dollar sign), naming variables, 16
- \$jpg variable, 193
- && (AND) operator, 18, 150
- & (ampersand) XML entity, 301
- ' (apostrophe) XML entity, 301
- * (asterisk) wildcard, 305
- : (colon), variables, 16
- ; (semicolon), multiple uses, 15, 21
- < (less than) operator, 18
- < (less than) XML entity, 301
- = (equals) assignment operator
 - versus* == (equals) comparison operator, 18
- == (equals) comparison operator, 18
- > (greater than) operator, 18
- > (greater than) XML entity, 301
- _ (underscore)
 - class properties, 95
 - variable names, 16
- || (OR) operator, 18, 187

A

- AAC-encoded format
 - support, 254
- absolute addresses, 27–28, 51
- acceleration
 - basics, 118–119, 126–127
 - vector quantities, 117

- ActionScript 2.0, compatibility
 - with 3.0, 11–12
- ActionScript 3.0
 - AIR, 7
 - AVM1 and AVM2 virtual machines, 289–290
 - versus* earlier versions, 11–12
 - Flex, 7
 - learning curve, 4
 - resources, 345
 - aggregators, 345
 - blogs, 345–347
 - books, 347
 - conferences, 348
 - libraries (code), 348–350
 - video training, 348
 - SWF files, local connection
 - workaround, 289–290
- ActionScript 3.0 Design Patterns*, 339
- ActionScript Bridge (JumpEye Components) component, 290
- actionScriptVersion property,
 - LoaderInfo class, 287
- ActivityEvent.ACTIVITY event, 238
- Adapter structural design
 - pattern, 340
- addChild() method, 58
 - depth management, 65–67
 - reparenting children, 68
- addChildAt() method, 60–61
 - depth management, 65–67
- addEventListener() method, 35
 - parameters
 - priority, 47
 - useCapture, 47
 - weak references, 47, 63
- addVisTimer() function, 246
- AdjustColors filter, 180
- aggregation. *See* composition
- aggregators, ActionScript/Flash
 - resources, 345
- Agile design methodology, 335–336
- AIFF files, 224
- AIR (Adobe Integrated Runtime), 7
- allowDomain() method,
 - Security class, 294
- allowFullScreen parameter, 259–260
- allowInsecureDomain() method,
 - Security class, 294
- Alpha blend mode, 179–180
- alpha property
 - movie clip, 33
 - onRun() function, 140
- alpha values, events, 33, 42
- ampersand (&) XML entity, 301
- amplitude
 - of microphones, 223, 237–239
 - of sound in real time, 234, 239
 - SoundPlayBasic class, 239–244
 - of stereo channels, 234–236
- AND (&&) operator, 18, 150
- angles
 - getAngle() function, 125
 - movement along, 120–122
- animation
 - acceleration, 118–119, 126
 - Animator class, 131–137
 - basic movement, 116–117
 - geometry/trigonometry
 - angles, movement along, 120–122
 - circular movement, 122–124
 - distance, 119–120
 - rotation toward objects, 124–125

- Motion class, 131–137
- particle systems, 137–140
- physics
 - basics, 125–126
 - elasticity, 128–130
 - friction, 127–128
 - gravity, 126
- replaying previously created, 131–137
- tweening, 130–131
- velocity, 126
 - basics, 117–118
 - example, 121–122
- Animator class, 131–137
- AntiAliasType.ADVANCED
 - constant, 206
- antiAliasType property, 206
- apostrophe (') XML entity, 301
- app.gui.HLineThick class, 320
- appendChild() method, book class, 311
- appendText() method, 199
 - with HTML, 207
- a property, Matrix class, 153–154
- arguments, functions, 25
- Array data type, 17
- arrays, 23–24
- assignment operators, 18
- associative arrays, 24
 - objects, 149
- asterisk (*) wildcard, 305
- Asteroid class, 123
- atan2() method, Math class, 124–125
- attributes
 - cue points, 265–267
 - element nodes, 306–307
 - inherited, 32
 - XML, 299
 - writing, 310–313
- attributes() method, XMLList class, 307
- audio. *See* sounds
- autoplay parameter, 256
- AVM1Movie class, 52, 54
- AVM1 virtual machines, 289–290
- avm2LC object
 - playClip() method, 289
 - stopClip() method, 289
- AVM2 virtual machine, 289–290

B

- backgroundColorAlpha parameter, cue points, 266, 268
- Ball class, 138
- BasicVideo class, 272–273, 280
- beginFill method, 145
- beginGradientFill method
 - GradientType class, 147–148
 - Matrix class, 156–158
- behavioral design patterns, 341
 - Observer, 341
 - State, 341
 - Strategy, 341
- best practices
 - variables, 16
 - weak references, 63
- Bevel filter, 180–181
- binary data
 - improvements, 6
 - loading, 281, 282–284
- bitmap caching, 168–169
- Bitmap class, 52, 53
- BitmapData.draw() method, 292
- BitmapDataLChannel class, 187
- BitmapData class, 53, 170
 - ColorTransform class, 189–190
 - DisplacementMap filter, 188
 - draw() method, 177, 192
 - getPixel() method, 173–174
 - instances, 170
 - PerlinNoise filter, 185–186
 - setPixel() method, 175
- BitmapData objects, 170–171
 - drawing one bitmap into others, 175–177
 - encoding, 192–193
- bitmap graphics
 - blend modes, 177–180
 - creating
 - by copying pixels, 171–172
 - with instances, 170
 - drawing into other bitmaps, 175–177
 - filters
 - advanced, 182–188
 - basic, 180–181
 - importing from library, 170–171
 - versus vector drawing, 168–169
- BlendMode class, blendMode property, 177–180

- blend modes, 177–180
- blockIndent property, 202
- blogs, ActionScript/Flash resources, 345–347
- Blur filter, 180–181
- book class methods
 - appendChild(), 311
 - insertChildBefore(), 312
 - prependChild(), 312
- book object, 303–304
- books, ActionScript/Flash, 347
- Boolean data type, 17
- bottom property, Rectangle class, 151, 160
- bottomRight property, Rectangle class, 151
- b property, Matrix class, 153–155
- Bridge CS3
 - ActionScript Bridge component, 290
 - FLV files, 253
- bubbles property, 43
- buffering streaming sounds, 228–229
- build() method, NavigationBar class, 112–113
- Button class, showCaptions property, 270
- buttonMode property, 181
 - MainMenu class, 113–114
- buttons, drawing, 163–165
- byline CSS class, 207
- ByteArray class, 247
- bytesLoaded property, 283
- bytesTotal property, 283

C

- cacheAsBitmap property, 168–169
- Captionate (Manitu Group), 261
- captioning video
 - cue points
 - attributes, 264–267
 - problems, 268
 - using, 267
 - multiple languages
 - Timed Text files, 268–270
 - overview, 260–261
 - Rehabilitation Act of 1973, 260
 - Timed Text files, 261–263
 - multiple languages, 268–270

Car class
 composition, 101
 inheritance, 97–99
 Cartesian coordinate system *versus*
 Flash coordinate system, 116
 Cascading Style Sheets. *See* CSS
 case sensitivity, XML, 299
 changeGear() method
 Car class, 108–109
 Truck class, 109–110
 Vehicle class, 107
 channels. *See* sound channels
 channel variable, 228
 characters (text)
 formatting, 200
 retrieving data, 212–214
 charAt() method, 213
 Chatter (Perl) socket server, 317
 children
 adding, 58, 60
 all nodes, 308
 comments, 308
 displaying, 54–57
 element nodes, 304
 locating, 64, 66
 processing instructions, 308
 removing, 62–63
 reparenting, 67–68
 stage *versus* earlier versions, 81
 children() method
 XMLList class, 308
 circles, 146
 circular movement, 122–124
 classes. *See also* classpaths
 adding class names to
 symbols, 59–60
 composition, 99–102
 display lists, 51–52
 encapsulation, 103–106
 external files, naming, 91
 inheritance, 93–94
 examples, 95–99
 extends phrase, 87, 91
 symbol base classes, 94–95
 inherited attributes, 32
 methods, 39
 naming, 95
 object relationships, 8
 OOP, 89–90
 Document class, 90–91
 organizing into directories, 91–92
 packages, 91–92
 wrapping classes in, 90
 polymorphism, 106–110
 properties, color variables, 93
 classpaths, 91–92, 97. *See also* classes;
 custom classes
 clear() method, 275
 close() method, 275
 code
 documenting, 338
 execution order, 15
 syntax-colored, 17
 code libraries, ActionScript/Flash
 resources, 348–350
 colon (:), variables, 16
 color
 color property, 202
 gradient fills, 147–148, 157, 161–163
 interpolating, 163–165
 lines, 143–144
 luminance constants, 191
 notation for captions, 263
 shapes, 145–146
 skins, 257–258
 solid fills, 145
 text, 199
 tints, 191
 Color class, 163–165, 191–192
 color effects
 Color class, 191–192
 ColorMatrixFilter class, 188,
 190–191
 ColorTransform class, 188
 ColorMatrixFilter class, 188, 190–191
 color picker, 161–163, 173
 color property, ColorTransform
 class, 139
 ColorTransform class, 139, 188
 colorTransform property, 189, 191
 color variable, 93
 comma-delimited formats, 299
 comments
 children, 308
 programming methodologies, 338
 XML, 300–301
 comparison operators, 18
 components. *See* specific Flash
 components
 Components Inspector, 256, 257
 Composite structural design
 pattern, 340
 composition, 88, 99–102
 computeSpectrum() method, 236, 247
 Concurrent Version System (CVS), 338
 conditionals, 17–20
 conferences, ActionScript/Flash
 resources, 348
 connect() method, 273
 LocalConnection class, 289
 constant velocity, 118
 containers. *See* display object
 containers
 contentLoaderInfo property
 Loader class, 285–287
 contentType property
 LoaderInfo class, 287
 controllers
 FLVPlayback component, 255
 convolution filtering, 182–185
 coordinate systems
 Flash *versus* Cartesian, 116
 copy() method
 nested XML tags, 312
 Copy Motion as ActionScript 3.0
 option (Edit→Timeline
 menu), 132
 copyPixels() method, 171–172
 cosine() method, Math class, 121–122
 c property
 Matrix class, 153–155
 createBrush() function, 176
 createBtn() method
 SimpleButton class, 164–165
 createControlButtons() function, 275
 play control buttons, 244
 createController() function, 135
 createGradientBox() method,
 156–158, 162
 createIndex property, 201
 CreateRoundRect() method, Graphics
 class, 164–165
 CreateRoundRectButton class, 163–165,
 202, 244, 275
 creational design patterns, 339
 Factory, 340
 Singleton, 340, 341–345
 cross-domain sandboxes, 292
 policy files, 294

CSS (Cascading Style Sheets), 207–208
Flash Player-supported
 properties, 207
loading, 281
 external files, 214–217
 Timed Text documents, 262
cubicBézier model *versus* Bézier curve
 model, 144
cue points
 attributes, 264–267
 problems, 268
 using, 267
Cumaratanunge, Chandima, 339
currentFrame property, trace()
 method, 74
currentLabels array, 78–81
currentScene property, scenes
 array, 77–81
curves, 144–145
custom classes. *See also* classpaths;
 classes
 methods, 39
 naming, 224
custom objects, 26–27
CVS (Concurrent Version System), 338

D

Darken blend mode, 177–179
dataFormat property, URLLoader
 class, 281, 282
data organization, XML, 298
data typing
 strict data typing, 4–5
 variables, 16–17
descendants() method, XMLList
 class, 308
declaration tags (XML), 300
Decorator structural design
 pattern, 340
defaultTextFormat() method, 203
deinterlacing support, 258–259
deltaTransformPoint()
 method, 155–156
depth management, 65–68
design methodologies. *See*
 programming design
 methodologies
design patterns, 339
 behavioral, 341
 creational, 339, 340, 341–345
 structural, 340

DFXP (Distribution Format
 Exchange Profile)
 multiple languages, 268–269
 supported by MAGpie, 261
 support planned by Captionate, 261
 W3C standard, 261
directories, organizing classes, 91–92
DisplacementMap filter, 185, 187–188
display architecture, 5
displayAttributes() function, 309
display lists
 adding
 movie clips, 58
 symbol instances, 59–60
 basics, 50–51
 classes, 51–52
 hierarchy, 65–68
 reparenting children, 67–68
DisplayObject class, 52
 locating children, 64
DisplayObjectContainer class, 52
display object containers
 out of bounds errors, 62
 versus display objects, 51
display objects
 root variable, 51
 casting, 64–65
 depth management, 65–67
 indexes
 new, 66–67
 z order, 66
 loading, 285–288
 security, 292
 locating in display lists, 64
 moving from one parent to another.
 See reparenting
 properties, root and stage, 61
 removing from list, 62
 swapping locations, 66
 versus display object containers, 51
displayXML() function, 309
distance() method, Points class, 150
distance measurements, 119–120
distortion, preventing, 159
Distribution Format Exchange Profile.
 See DFXP
divisors, 184
Document class, 9–11, 90–91
 XML navigation system, 321
documenting code, programming
 methodologies, 338

dollar sign (\$), variables, 16
dot syntax
 navigating Flash document object
 model, 23
 XML, 299
double-dot operator, 304
d property, Matrix class, 153–161
draw() method, 292
 BitmapData class, 173, 177, 192
drawBar() function, 241
drawCircle() method, 146, 149
drawGradientBox() function, 162
drawing
 buttons, 163–165
 circles, 146
 curves, 144–145
 lines, 143–144
 Pencil tool (Flash), simulating,
 148–149
 shapes, 145–146, 160
 vectors. *See* vector drawing
drawRect() method, 146, 149
drawRoundRect() method, 146, 149
DropShadow filter, 180–181
DTD (document type declaration), 300
duration property, Motion class, 133
dynamic navigation bars, 68–70
dynamic text fields, 198–199

E

E4X (ECMA for XML), 297
 comments, 300
 parsing instructions, 301
 XML
 creating objects, 302
 loading external documents, 314
 reading, 303, 305
ECMA for XML. *See* E4X
elasticity, 128–130
Electro Server socket server, 317
element nodes, 300
 attributes, 306–307
 children, 308
 finding
 by content, 307–308
 by relationships, 308–310
 parents, children, and siblings, 304
 reading XML, 304–305
encapsulation, 8, 88, 103–106

encoding
 BitmapData objects, 192–194
 UTF-8, 262
 video, 252–253
 endFill method, 145
 endTime parameter, cue points,
 266, 268
 ENTER_FRAME event, 36, 44, 230
 enter frame event *versus* timer
 events, 44
 entities (XML), 301
 equals() method, 150
 equals (==) operator, 18
 equals (=) assignment
 operator, 18
 Erase blend mode, 179–180
 erasing variables, 176
 error reporting, 4–5
Essential ActionScript 3.0, 43,
 47, 288, 295
 Event.COMPLETE event, 215–217,
 226, 287
 Event.ID3 event, 233
 Event.INIT event, 287
 event: links, 209
 Event class, 36, 44
 EventDispatcher class, 34
 events
 event handling, 34, 46
 event listeners, 34–37
 garbage collection, 47
 new features, 5
 removing, 46
 weak references, 63
 propagating, 41–43
 execution order, 15
 expressions. *See* regular expressions
 extend, Color Mixer panel, 157
 extending classes. *See* inheritance,
 classes
 extends MovieClip phrase, 91
 Extensible Markup Language.
See XML
 external class file names, 91
 external documents, loading
 XML, 314–315
 ExternalInterface class, 290
 external sounds, 223, 225–226
 Extreme Programming (XP) design
 methodology, 336

F

Factory creational design pattern, 340
 FadeRollOver class, 323–324
 FFT plot. *See* Fourier transform
 fills
 gradient, 147–148, 156–158, 161–163
 solid, 145
 filters. *See* bitmap filters
 filters array, 180
 FLA files, Document classe, 11
 Flash
 coordinate system *versus* Cartesian
 coordinate system, 116
 dot syntax, 23
 Flash Platform, 7
 Preferences dialog, classpaths, 92
 quadratic Bézier curve model, 144
 resources, 345
 aggregators, 345
 blogs, 345–347
 books, 347
 conferences, 348
 libraries (code), 348–350
 video training, 348
 flash.geom package classes, 149
 Matrix, 153–158
 Point, 149–151
 Rectangle, 151–152
 FlashInterface, 290
 Flash Player 9 Update 3, 254
 Flash security model, 291
 Flash Video Encoder (Adobe), 252–253
 deinterlacing support, 258–259
 Flex/Flex Builder, 7
 Flix Pro (On2), 252
 FLV files
 Bridge CS3, 253
 encoding, 252–253
 FLVPlaybackCaptioning
 component, 256
 cue points
 attributes, 265–267
 problems, 268
 using, 267
 with FLVPlayback component,
 260, 264
 multiple languages
 Timed Text files, 268–270
 source property, 267
 Timed Text files, 264, 268–270

FLVPlayback class, source
 property, 256
 FLVPlayback component
 advantages, 254–255
 cue points
 problems, 268
 Timed Text files, 264
 using, 256–258
 with FLVPlaybackCaptioning
 component, 260, 264
 fonts
 antiAliasType property, 206
 embedded fonts, 205–206
 font property, 202
 for...in loops
 accessing encoded ID3
 tags, 233
 loading text, 284
 for loops
 finite execution, 21
versus frame and timer
 events, 45
 navigation bars, 69
 removing display objects, 62
 Fountain design methodology,
 334, 335
 Fourier transform, 234, 249
 fractal noise, 186
 frame events, 43–44
versus for loops, 45
 frame labels, 74–81
 frame navigation
 goto methods, 73–74
 goto methods, disadvantages, 74
 labels, 74–81
 frame property, labels
 array, 76–81
 frameRate property
 LoaderInfo class, 287
 Motion class, 133
 stage, 81–82
 frame rates, changing at runtime,
 81–82
 frequency spectrum analysis, 234
 friction, 127–128
 full-screen video, 258–260
 functions
 basics, 24–25
 recursion, 55

G

- garbage collection, 47
- geometry/trigonometry, 119
 - angles, movement
 - along, 120–122
 - circular movement, 122–124
 - distance, 119–120
 - rotation toward objects, 124–125
- getAngle() function, 125
- getBounds() method, 270
- getCharBoundaries()
 - method, 213–214
- getCharIndexAtPoint()
 - method, 213–214
- getChildAt() method, 55, 64
- getChildByName() method, 66
- getChildIndex() method, 64
- getDistance() method, 120
- getFrame() function, 79–81
- getLineOffset() method, 211
- getLineText() method, 211
- getMicrophone() method, 236
- getPixel() method, 173–174
- getters, 102, 103, 105
- global_root variable *versus* [root]
 - instance variable, 51
- Glow filter, 180
- gotoAndPlay() method, 73, 83–85
- gotoAndStop() method, 64
- goto methods
 - frames, jumping, 73–74
 - disadvantages, 74
- GradientBevel filter, 180
- gradient fills, 147–148, 156–166, 161–163
- GradientGlow filter, 180
- GradientType class, 147–148
- Graphics class
 - basics, 142–143
 - drawing
 - buttons, 163–165
 - curves, 144–145
 - lines, 143–144
 - shapes, 145–146
 - extending, 93–94
 - fills, adding
 - gradient, 147–148, 161–163
 - solid, 145
 - visualization of sound
 - data, 237

- graphics object
 - g reference, 142
 - methods, 3.0 *versus* previous versions, 142
 - with statements, 142–143
- gravity, 126
- greater than (>) operator, 18
- greater than (>) XML entity, 301

H

- H.264-encoded format support, 254
- Haeberli, Paul, 191
- Hard Light blend mode, 177
- hasSimpleContent() method, 309
- HDTV color standards, 191
- heading CSS class, 207
- hearing impaired support, 261
- height property, movie clip, 33
- hierarchical relationships, 5
- HLineThick class, 111, 112, 320, 322
- Hooke's law, 128–129, 140
- HTML
 - Flash Player-supported tags, 206
 - formatting text, 206–207
 - links, 209
 - loading, 281
 - external files, 214–217
- htmlText property, 206–207
- http:// links, 209

I

- ID3Info class, 223, 231–233
- ID3 tags
 - support by Flash Player 9
 - Update 3, 254
 - with/without dedicated ActionScript
 - property names, 231–233
- if statements, 18–19
 - data type checking, 55
- img form variable, 193
- import statement, 256
- indentLevel argument, 57
- indent property, 202
- infinite loops, 22
- inheritance, 93–94
 - attributes, 32
 - classes, extending, 87, 91
 - definition, 8
 - examples, 95–99
 - symbol base classes, 94–95

- initTextField() function, 216
- initVars() function, 245
- input text fields, 200
- insertChildBefore() method
 - book class, 312
- int data type, 17
- inter-sandboxes, 293–295
- InteractiveObject class, 52, 53
- internal sounds, 223
- interpolate() method, Points class, 150
- interpolateColor() method, 191
- invert (color negative) effect, 182, 189
- IOErrorEvent.IO_ERROR event, 215–217
- ioErrorHandler() function, 216–217
- isFrameLabel() function, 80–81
- isPaused flag, 135
- isPlaying property
 - Tween class, 130
- isScaled flag, 136
- Iterative programming design
 - methodology, 335, 337
 - Prototyping, 335
 - V-Model, 336, 338

J

- Java socket servers, 317
- JPEG encoders, 192–193
- JPGEncoder class, 192
- JumpEye Components' ActionScript Bridge component, 290

K

- Kamerer, Jeff, 268
- Keyboard class, 40
- KeyboardEvent class
 - KEY_DOWN event, 40
 - KEY_UP event, 36
- keyboard events, 39–41
- keyCode property, 40
- Keyframe property, 133

L

- labels array, 76–81
- Layer blend mode, 179–180
- leading property, 202
- leftMargin property, 202–203
- leftPeak property (sound channel), 234–236
- left property, Rectangle class, 151, 160

- length property, 201
- length property, currentLabels array, 78–81
- less than (<) operator, 18
- less than (<) XML entity, 301
- libraries (code)
 - symbol base classes, 94–95
- libraries (code), ActionScript/Flash resources, 348–350
- Lighten blend mode, 177
- linear gradients, 148, 157
- lines
 - drawing, 143–144
 - XML-based navigation, 320
- lines (text)
 - formatting, 199
 - retrieving data, 210
- LineStyle method
 - drawing
 - curves, 144–145
 - lines, 143
 - shapes, 146
 - fills
 - solid, 145
- lineTo method
 - fills, solid, 145
 - lines, 144
- Linkage option, libraries, 59–60
- Linkage Properties dialog, 205
 - bitmaps, 171
 - sounds, 223
- linkHandler() function, 209
- load() method
 - Sound class, 222
 - SoundLoaderContext class, 229
- LoadDisplayObject.as file, 285–288
- LoadDisplayObject class, 288, 295
- Loader class, 52, 54, 285–288
 - contentLoaderInfo property, 285–287
 - onComplete() method, 286–288, 292–295
 - security, 292–295
- LoaderInfo class, 285–288
 - actionScriptVersion property, 287
 - contentType property, 287
 - frameRate property, 287
 - swfVersion property, 287
- LoadText.as file, 282–284
- LoadText class, 282–284, 288, 295
 - _verbose property, 282–284

- (LoadXML) class, 320–321, 327–328
- LocalConnection class, connect() method, 289–290
- local connections, 289–290
- local security sandboxes, 291
- local variables, functions, 25
- logical operators, 18
- looping property, Tween class, 130
- loops, 20–21
 - warning, 22
- luminance broadcast standards, 191

M

- Mac OS, absolute *versus* relative addresses, 28
- Manitu Group's Captionate, 261
- Math class
 - atan2() method, 124–125
 - cosine() method, 121–122
 - max() method, 160
 - sine() method, 121–122
- matrices, 153–154
 - changing points after transformations, 155–156
 - gradient fills, 156–158, 161–163
 - skewing shapes, 154–155, 158–159
 - transforming, 158–159
- Matrix class, 153–158, 161–163
- MatrixTransformer class, 120, 136, 158–159
- max() method, 160
- maxChars property, 200
- Media Player (Adobe), 253
- memory management
 - garbage collection, 47
 - removing objects from memory, 63
- MenuItem class, 111, 113–114, 320, 324–326
- MenuItemSub class, 320, 326–327
- methodologies. *See* programming design methodologies
- methods, 39
 - calling with keyboard events, 39–48
 - classes, 39
 - custom classes, 39
 - with statements, 142–143
- Microphone class, 223, 236–239
- microphone sounds. *See also* sound channels; sounds
 - activity levels, 223, 236–239

- modulus operators, 124
- Moock, Colin, 288, 295
- MorphShape class, 52, 54
- motion. *See* animation
- Motion class, 131–137
- Motion package classes
 - Color, 164–165
 - MatrixTransformer, 158–159
- MouseEvent class, 35
- mouse events
 - event propagation, 42–43
 - property controls, 37–39
- mouseX and mouseY properties, onLoop() function, 211–212
- MovieClip class, 52, 54
 - adding to Base class, 60
 - document classes, 10–11
 - extending, 93–94
- movie clips
 - adding
 - class names to symbols, 59–60
 - to display list, 58
 - playback
 - frame navigation, with labels, 74–81
 - frame navigation, with goto methods, 73–74
 - starting/stopping, 71–72
 - properties, 33
- MP3 format/sounds
 - encoding files, 252
 - ID3 metadata, 231–233
 - .mp3 files, 224
- MPEG-4 format support, 254
- multidimensional arrays, 24
- multiline property, 199
- Multiply blend mode, 177

N

- Name attribute, cue points, 265
- name property, 84–85
 - labels array, 76–81
- namespaces
 - private, 103–106
 - public, 91
 - variables, 93
- National Center for Accessible Media (NCAM), 261
- navigateToURL() method, 193

NavigationBar class, 112–114, 320–322
navigation bars
 dynamic, 68–70
 OOP, 111
navigation system, XML-based
 classes, 319–330
 Document, 321
 FadeRollOver, 323–324
 (LoadXML), 327–328
 MenuButtonMain, 324–326
 MenuButtonSub, 326–327
 NavigationBar, 322–324
NCAM (National Center for Accessible Media), 261
nesting objects, 54–57
nesting XML tags, 299
 copy() method, 312
NetConnection class, 272
 loading video, 280
NetStatus.Play.Play event, 274
NetStream class, 273–274
NetStream object
 loading video, 280
 security, 292
network security sandboxes,
 291, 293
new MovieClip() function, 58
nextSection variable, 83–85
9-slice scaling, 159–161
nodeKind() method, 306
nodes (XML)
 children, 308
 element nodes, 300
 attributes, 306–307
 finding by content, 307–308
 finding by relationships, 308–310
 reading XML, 304–305
 root nodes, 299
 text nodes, 300, 305–306
noise
 fractal, 186
 octaves, 186
 PerlinNoise generator, 185–187
NOT (!) operator, 18
Number data type, 17
numChildren property, showChildren()
 function, 55
numFrames property, labels array,
 76–81

O
object-oriented programming.
 See OOP
Object data type, 17
objects. *See also* custom objects
 associative arrays, 149
 classes, relationships, 8
 garbage collection, 47
 properties, 32–33
 removing
 from display lists, 62–63
 from memory, 63
 scope, 27
 with statements, 142–143
Observer behavioral design
 pattern, 341
octaves of noise, 186
offset() method
 points, 150
 rectangles, 151–152
On2
 Flix Pro, 252
 VP6 codec, 252–253
onAsyncError() function, 274
onComplete() function, loading XML
 documents, 315–316
onComplete() method, 281, 283
 Loader class, 286, 292
onCueData() method, 273–274
onMetaData() method, 273–274
onNetStatus() function, 274
OOP (object-oriented programming), 6
 classes, 89–90
 Document class, 90–91
 classpaths, 91–92, 97
 composition, 88, 99–102
 design patterns, 339
 encapsulation, 88, 103–106
 inheritance, 93–94
 examples, 95–99
 symbol base classes, 94–95
 navigation, 111–114
 polymorphism, 88, 106–110
 versus procedural programming,
 8–9, 89
 versus sequential programming, 89
opacity
 skins, 257–258

OR (||) operator, 18, 187
out of bounds errors, 62, 66
Output panel, 9
overflow, Color Mixer panel, 157
Overlay blend mode, 177–179
override keyword, 108
override polymorphism, 106–110.
 See also polymorphism
P
package keyword, 90
packages, 91–92
padIndent() function, 57, 309–310
Pallabre (Python) socket server, 317
panning controls, 223, 229–231
paragraphs, 212–214
Parameters Inspector, 256
parent() method, XMLList class, 308
parents
 children, reparenting, 65
 element nodes, 304
parsing. *See* XML, parsing
Particle class, 137–140
ParticleDemo class, 137–138
particle systems, 137–140
Pencil tool (Flash) simulation, 148–149
Penguins object, 171
Perl, Chatter socket server, 317
Perlin, Ken, 185
perlinNoise() method, 187, 188
PerlinNoise generator, 185–187
physics
 basics, 125–126
 elasticity, 128–130
 friction, 127–128
 gravity, 126
pixel drawing. *See also* bitmap graphics
pixels
 getPixel() method, 173–174
 setPixel() method, 175
plain text, loading, 281, 282–284
play() method, 275
 frame rates, 83–85
 position property, 228
 SoundChannel class, 227
 Sound class, 226
 SoundLoaderContext class, 229
 with stop() method, 72–74

playback

- frame navigation
 - goto methods, 73–74
 - goto methods, disadvantages, 74
 - labels, 74–81
- frame rates, changing at runtime, 81–82
- starting/stopping, 71

 playClip() method

- avm2LC object, 289

 plotWaveform() function, 247–248

 PNG encoders, 192, 194

 Point class, 149–151

 points, 149–151

- comparing with rectangles, 152

 policy files

- cross-domain sandboxes, 294

 polymorphism, 88, 106–110. *See also*

- override polymorphism

 position property

- play() method, 228
- Tween class, 130

 positions, locating children by, 64

 prependChild() method, book

- class, 312

 prependZeros() function, 174

 priority parameter,

- addEventListener()
 - method, 47

 private namespaces, 103–106

 procedural programming

- versus* OOP, 8–9, 89
- versus* sequential programming, 89

 processing instructions, children, 308

 programming design methodologies, 333–334

- Agile, 335–336
- basic principles, 338
- design patterns, 339
 - behavioral, 341
 - creational, 339, 340, 341–345
 - structural, 340
- Fountain, 334, 335
- Iterative, 335, 337
- Prototyping, 335
- Spiral, 335, 336–337, 338
- testing, 338
- V-Model, 336, 338
- Waterfall, 334–335, 338
- XP (Extreme), 336

 ProgressEvent.PROGRESS event, 226

 propagation. *See* events, propagating

properties, 32–33

- encapsulation, 103–106
- mouse event control, 37–39
- Point class, 150
- with statements, 142

 Prototyping design methodology, 335

 public namespaces, 91, 93

 Pythagorean theorem, 119, 120, 150

 Python, Pallabre socket server, 317

Q

quadratic Bezier curve model *versus*

- cubic Bézier model, 144

 QuickTime movie format support, 254

 quotation mark ("") XML entity, 301

R

radial gradients, 148

 radians, 120–122

 RAM, removing objects from, 63

 raw binary data, 6

 readFloat() method, 248

 Rectangle class, 151–152, 160

 rectangles

- drawing, 151–152, 160
- skewing, 154–155

 recursion, 55

- setTimeout() method, 45

 red5 (Java) socket server, 317

 regular expressions

- evaluating, 15
- new support, 6

 Rehabilitation Act of 1973, 260

 relative addresses, 27

 removeChildAtJ() method, 62–63

 removeVisTimer() function, 246

 reset() method

- timer events, 45

 restrict property, 200

 rightMargin property, 202–203

 rightPeak property (sound channel), 234–236

 right property, Rectangle

- class, 151, 160

 [root] instance variable

- versus* _root variable, 51

 root display object, 51

 root nodes, XML, 299

 root property

- display objects, 61

rotateAroundExternalPoint()

- method, 158–159

 rotation, 153–156, 158–159, 161–163

- degrees, 44
- rotation property, 120
 - Motion class, 133
 - toward objects, 124–125

 rotation property

- movie clip, 33

 Royce, Winston, 335

S

sandboxes

- dedicated *versus* cross-domain, 292
- inter-sandboxes, 293–295
- local *versus* network, 291

 Sanders, William, 339

 saturation effect, 182, 189

 scalar quantities, speed, 117

 scale9grid property, 159–161

 scale property, Motion class, 133

 scaleX and scaleY properties, movie

- clips, 33

 scaling shapes, 153

 9-slice scaling, 159–161

 scenes array, 76–81

 scope

- absolute and relative addresses, 27
- automatic management, 6
- objects, 27

 Screen blend mode, 177

 Security class, 294

 security model, 291

- sandboxes
 - dedicated *versus* cross-domain, 292
 - inter-sandboxes, 293–295
 - local *versus* network, 291

 semicolon (;), multiple uses, 15, 21

 send-and-load XML technique, 315–319

 sequential programming

- versus* procedural programming and OOP, 89

 sequential programming *versus*

- procedural programming, 8

 setInterval() method, 45–46

 setPixel() method, 175

 setScaleX() method, 136

 setScaleY() method, 136

 setSkewX() method, 158–159

 setStyle() method, 207–208

 setters, 102, 103, 105

- setTextFormat() method, 203
- setTimeout() method, 45–46
- Shape class, 52
- shapes
 - drawing, 145–146
 - transforming
 - Matrix class, 153–158, 161–163
 - MatrixTransformer class, 158–160
- showCaptions property, 264
 - Button class, 270
- showChildren() function, 54, 55
- showMicInfo() function, 237
- siblings, element nodes, 304
- SimpleButton class, 52, 53, 164–165
- sine() method, Math class, 121–122
- Singleton.as file, 343
- Singleton creational design pattern, 340, 341–345
- SingletonExample.as file, 343
- size property, 202
- Skinner, Grant, 290
- skin parameter, 257–258
- skins
 - FLVPlayback component, 255, 257–258, 260
- SmartFox socket server, 317
- snd variable, 225, 228
- sockets (XML), 317–319
- solid fills, 145
- Sorenson's Squeeze, 252
- Sound.id3 property, 292
- SoundChannel class, 222, 227
 - play() method, 227
- SoundChannel object, 280
- sound channels. *See also* microphone sounds; sounds
 - controlling volume and panning, 223, 229–231
 - creating, 226–227
 - SoundChannel class, 222
 - SoundMixer class, 228
 - SoundTransform class, 223
 - visualizing stereo amplitude, 234–236
- Sound class, 222
 - id3 property, 231–233
 - load() method, 222
 - play() method, 226
 - security, 292
 - stop method, 227–228
- SoundLoaderContext class, 222, 241
 - load() method, 229
 - play() method, 229
- SoundMixer.computeSpectrum() method, 292
- SoundMixer class, 222, 231
 - stopAll method, 228
 - visualizing sound playing in real time, 244–249
- SoundPlayBasic class, 239–249, 280
- sounds. *See also* microphone sounds; sound channels
 - AAC-encoded format support, 254
 - architecture, 222–223
 - controlling volume and panning, 223, 229–231
 - external, 223, 225–226
 - hearing impaired support, 261
 - improvements, 6
 - internal, 223
 - loading, 280
 - security, 292
 - MP3 sounds
 - ID3 metadata, 231–233
 - MPEG-4 format support, 254
 - pausing, 228
 - playing, 226–227
 - preloading buffers, 228–229
 - resuming, 228
 - stopping, 227–228
 - symbol linkage, 223–225
 - visualizing data, 234–236
 - sound playing in real time, 239–249
- SoundTransform class, 223, 229–231
- source property
 - FLVPlaybackCaptioning component, 267
 - FLVPlayback class, 256
- speed, scalar quantities, 117
- spiking, 333, 338
- Spiral programming design
 - methodology, 335, 336–337, 338
- SpreadMethod.PAD constant, 157–158
- SpreadMethod.REFLECT constant, 157–158
- SpreadMethod.REPEAT constant, 157–158
- spread methods, 157–158
- Sprite class, 52, 53–54, 112
 - document classes, 10
 - extending, 93–94
- Squeeze (Sorenson), 252
- stage/children *versus* earlier versions, 81
- Stage class, 52, 53
- stage property, 61
- stageWidth property, 61
- State behavioral design pattern, 341
- StaticText class, 52, 54
- stereo channels, 234–236
- stop() method, 39
 - frame labels, 72
 - frame rates, 76–81
 - with play() method, 72–74
 - targeting frames *versus* timeline, 76
 - timer events, 45
 - user input, 72
- stopAll method, SoundMixer class, 228
- stopClip() method
 - avm2LC object, 289
- stop method
 - Sound class, 227–228
- Strategy behavioral design pattern, 341
- strict data typing. *See* data typing
- String data type, 17
- stroke hinting, 160
- structural design patterns
 - Adapter, 340
 - Composite, 340
 - Decorator, 340
- StyleSheet class, 207–208, 215–217
 - subclasses, 93–94
 - polymorphism, 106–110
- subtitles. *See* captioning video
- Subversion (SVN), 338
- super() method
 - Car and Truck classes, 105–106
 - Truck class, 109
- superclasses, 105, 106–110
- SVN (Subversion), 338
- swapChildren() method, 66
- swapChildrenAt() method, 66
- SWFBridge class, 290
- SWF files
 - ActionScript 3.0
 - local connection workaround, 289–290
- swfVersion property
 - LoaderInfo class, 287
- switch statements, 19–21, 39, 135
- switchTTCaps() function, 270
- symbol base classes, 94–95
- Symbol Properties button, 59–60
- Symbol Properties dialog, 223

symbols
 adding class names to symbols,
 59–60
 sound linkage, 223–225
syntax
 improvements, 5
 syntax-colored code, 17

T

tab-delimited formats, 299
tab stops, 203–204
tags. *See* XML, tags
target property, 36
Taylor, Robert, 290
\t escape character (tabs), 204
text. *See also* text fields
 auto-sizing, 199
 characters
 length, 201
 restricting, 200
 retrieving data, 212–214
 color, 199
 creating dynamically, 163–165
 fonts, 202
 anti-aliasing, 206
 embedding, 205–206
 formatting, 202–203
 CSS, 207–208
 HTML, 206–207
 height, 213–214
 improvements, 5
 indenting, 202
 leading, 202
 lines
 formatting, 199
 retrieving data, 210
 loading, 281
 multiuse text loader, 282–284
 variables, 281–282
 loading HTML and CSS files, 214–217
 margins, 202–203
 paragraphs
 retrieving data, 212–214
 replacing, 201
 selecting, 200–202
 sizing, 202
 tab stops, 203–204
 tracing position, 201
 wrapping, 199
TextEvent.LINK event, 209

TextField() method, 198
 dynamic fields, 198–199
 input fields, 200
 text selection, 200–202
TextFieldAutoSize.LEFT constant, 199
TextField class, 52, 53
text fields. *See also* text
 dynamic, 198–199
 input, 200
 retrieving data, 210
 character and paragraph data,
 212–214
 line data, 210–212
TextFieldType.INPUT constant, 200
TextFormat class, 165
 antiAliasType property, 206
 embedded fonts, 205–206
 general formatting, 202–203
 tab stops, 203–204
textHeight property, 213–214
text nodes, 300, 305–306
text parameter, cue points,
 266, 268, 270
text property, 198
this scope, 27, 51
3GP format support, 254
Time attribute, cue points, 265, 268
timeline
 playback movement
 frame labels, 74–81
 frame rates, 81–82
 goto methods, 71–74
 starting/stopping, 71
 this scope, 51
Timer class, 45
timer events
 versus enter frame events, 44
 versus for loops, 45
tints, color, 191–192
Tires class
 composition, 100–102
 encapsulation, 106
togglePause() method, 275
topLeft property, Rectangle class, 151
top property, Rectangle class, 151, 160
totalFrames property, trace()
 method, 74
trace command, 16
track property, cue points,
 268, 270, 271
transformPoint() method, 155–156
transform property, 231

translucent effects, 145
transparency, bitmaps, 170
trial and error programming
 methodology, 333
trigonometry/geometry, 119
 angles, movement along, 120–122
 circular movement, 122–124
 distance, 119–120
 rotation toward objects, 124–125
Truck class
 composition, 101
 encapsulation, 106
 inheritance, 97–99
true full-screen video, 258–260
trust files, 293
TT (Timed Text) format, 261–264
 multiple languages, 268–270
 properties, supported and
 unsupported, 262
Tween class, 130–131
tweens/tweening
 animation, 130–131
 frame labels, 74
tx property, Matrix class, 153–161
ty property, Matrix class, 153–158
Type attribute, cue points, 265

U

underscore (_)
 class properties, 95
 variables, 16
uint data type, 17
Unity socket server, 317
URL-encoded variables
 loading, 281–284
urlData() method, 283
URLLoader class, 134, 215–217, 292
 dataFormat property, 281, 282
 external XML documents, 314
 XML communication with servers,
 315
URLLoaderDataFormat.VARIABLES
 constant, 281
URLRequest() class
 communication with servers, 315
URLRequest class, 134, 215–217
 instances, 192
 loading sounds
 buffered, 229, 241–249
 external, 225
URLRequestHeader class, 192

URLRequest object, loading sound, 280
URLStream class, 292
URLVariables class, 281–282
useCapture parameter,
 addEventListener()
 method, 47
useHandCursor property
 MainMenu class, 113–114
UTF-8, encoding, 262

V

V-Model programming design
 methodology, 336, 338
variables
 data typing, 16–17
 declaring, 16
 mandatory in version 3.0, 17
 loading, 281–284
 local variables, 25
 naming, 16
var keyword, 16
vector drawing
 bitmap caching, 168–169
 color picker, 161–163
 CreateRoundRectButton class,
 163–165
 flash.geom package classes, 149–158
 Graphics class
 basics, 142–143
 curves, 144–145
 fills, gradient, 147–148, 161–163
 fills, solid, 145
 lines, 143–144
 shapes, 145–146
 shapes, skewing, 154–155
 Motion package classes, 158–159
 9-slice scaling, 159–161
 Pencil tool (Flash), simulating,
 148–149
 versus bitmap graphics, 168–169
vector quantities
 acceleration, 117, 126
 velocity, 117, 126
Vehicle class
 composition, 100–101
 encapsulation, 103–105
 inheritance, 95–99
velFriction() function,
 deceleration, 128
velocity, 126
 basics, 117–118
 example, 121–122
 vector quantities, 117
versioning code
 programming methodologies, 338
video
 captioning
 cue points, 264–268
 multiple languages, 268–271
 overview, 260–261
 Rehabilitation Act of 1973, 260
 Timed Text files, 261–263, 268–270
 encoding, 252–253
 FLVPlaybackCaptioning
 component, 256
 with FLV Playback component, 260
 Timed Text files, 264
 FLVPlayback component, 256–261
 advantages, 254–255
 with FLVPlaybackCaptioning, 260
 Timed Text files, 264
 H.264-encoded format support, 254
 loading, 280–281
 security, 292
 QuickTime movie format
 support, 254
 true full-screen video, 258–260
 web video distribution, 254
Video class, 52, 53
Video Encoder, 252–253
 deinterlacing support, 258–259
video player, creating, 272–276
VideoPlayer class, 276
video training, ActionScript/Flash
 resources, 348
virtual machines
 AVM1 and AVM2, 289–290
visible property, movie clips, 33
Visualization class, 240, 242, 244–249
visualizing sound data
 microphone sounds, 237–239
 playing in real time, 239
 SoundPlayBasic class, 239–244
 Visualization class, 244–249
 stereo channels, 234–236
volume controls, 223, 229–231
VP6 codec (On2), 252–253

W

W3C Timed Text format. *See* TT
Waterfall programming design
 methodology, 334–335, 338
 Fountain, 334, 335
 Spiral, 335, 336–337, 338
 V-Model, 336, 338
WAVE files, 224
waveform visualization, sound
 playing, 234, 239
 SoundPlayBasic class, 239–244
 Visualization class, 244–249
WC3 (World Wide Web Consortium)
 E4X, 297
weak references, addEventListener()
 method, 47, 63
web sites
 absolute *versus* relative addresses, 28
 security controls, 294
while loops, 22
width property, movie clips, 33
Windows, absolute *versus* relative
 addresses, 28
with statements
 methods, 142–143, 145
 objects, 142
 properties, 142–153
wordWrap property, 199
World Wide Web Consortium.
 See WC3
wrapOption parameter, cue points, 266

X

x coordinate property
 Motion class, 133
 movie clips, 33
XML (Extensible Markup Language)
 comments, 300–301
 communicating with servers
 send-and-load technique, 315–317
 sockets, 317–319
 declaration tags, 300
 deleting, 313–314

- element nodes, 300
 - deleting XML, 313–314
 - finding by content, 307–308
 - finding by relationships, 308–310
 - reading XML, 304–305
 - writing XML, 310–315
- entities, 301
- improvements, 5
- loading external documents, 314–315
- navigation system, 319–321
 - data files, 328–329
 - Document class, 321
 - FadeRollOver class, 323–324
 - LoadXML class, 327–328
 - MenuBar class, 322–323
 - MenuBarMain class, 324–326
 - MenuBarSub class, 326–327
 - NavigationBar class, 322–323
- objects, creating, 302–303
- parsing, 300–301
- reading, 303–304
 - element node attributes, 306–307
 - element nodes, 304–305
 - text nodes, 305–306
- rules, 299
- structure, 298–299
- tags
 - closing, 299
 - Timed Text format, 261–263
- text nodes, 300
 - reading XML, 305–306
 - writing XML, 310–315
- white space, 299–300
- writing, 310–313
- XML class
 - creating objects, 302
 - writing XML, 311–313
- XMLList class, 304–305
 - attributes() method, 307
 - children() method, 308
 - copy() method, 312
 - decendants() method, 308
 - parent() method, 308
- xmlLoaded() function, 134–135
- XMLSocket class, 317–319
- XP (Extreme Programming) design
 - methodology, 336
- x property
 - Point class, 149
 - Rectangle class, 151–152

Y

- y coordinate property
 - Motion class, 133
 - movie clips, 33
- y property
 - Point class, 149
 - Rectangle class, 151–152

Z

- Zeno's paradox, 127–128, 140
- z order, display objects, 66