

---

# *Index*

## *A*

- ABORT constant, 411
- ABORTED constant, 61
- abortGrabbing(), 448
- action(), 96
  - Button component, 194
  - Checkbox component, 353
  - Choice component, 335
  - Component class, 181
  - List component, 345
  - MenuItem class, 368
  - TextField class, 315
- ACTION\_ constants, 141
- ACTION\_EVENT event, 112
- action keys, 137
- ActionEvent class, 141, 831
- ActionListener(), 154
- ActionListener interface, 147, 834
- actionPerformed(), 112, 147
- activeCaption color, 89
- activeCaptionBorder color, 89
- activeCaptionText color, 89
- adapter classes, 119
- add(), 47
  - add listener interfaces, 121, 155
  - Choice component, 333
  - Component class, 178
  - Container class, 209-210
  - List component, 340
  - Menu class, 371
  - MenuBar class, 377
- addActionListener(), 196
  - List component, 348
  - MenuItem class, 368
  - TextField class, 317
- addAdjustmentListener()
  - Adjustable interface, 401
  - Scrollbar class, 393
- addComponentListener(), 185
- addConsumer()
  - FilteredImageSource class, 424
  - ImageProducer interface, 422
  - MemoryImageSource class, 427
- addContainerListener(), 214
- addFocusListener(), 186
- addImage(), 62
- addImpl()
  - Container class, 210
  - ScrollPane container, 403
- addInternal(), 156
- addItemListener()
  - Checkbox component, 355
  - Choice component, 336
  - List component, 347
  - Menu class, 375
- addItem()
  - Choice component, 333
  - List component, 340
- addKeyListener(), 186
- addLayoutComponent()
  - BorderLayout layout, 259, 261
  - CardLayout layout, 267-268
  - FlowLayout layout, 256
  - GridBagLayout layout, 275

- addLayoutComponent() (continued)
  - GridLayout layout, 264
  - HorizBagLayout layout, 295
  - LayoutManager interface, 251, 286
  - LayoutManager2 interface, 252
  - VerticalBagLayout layout, 296
- addMouseListener(), 186
- addMouseMotionListener(), 186
- addNotify()
  - Button component, 193
  - Canvas class, 200
  - Checkbox component, 352
  - CheckboxMenuItem class, 374
  - Choice component, 334
  - Container class, 174, 217
  - Dialog class, 237
  - FileDialog class, 244
  - Frame class, 230
  - Label component, 191
  - List component, 344
  - Menu class, 372
  - MenuBar class, 378
  - MenuItem class, 367
  - Panel class, 219
  - PopupMenu class, 384
  - Scrollbar class, 390
  - ScrollPane container, 405
  - TextArea class, 324
  - TextField class, 315
  - Window class, 225
- addPoint(), 51
- addSeparator(), 371
- addTextListener(), 310
- addWindowListener(), 226
- Adjustable interface, 399-401, 553
- ADJUSTMENT\_ constants, 143
- AdjustmentEvent(), 144
- AdjustmentEvent class, 143, 835
- AdjustmentListener interface, 147, 838
- adjustmentValueChanged(), 109, 148
- alignment
  - ALIGN parameter (<APPLET> tag), 996
  - BorderLayout vs. GridBagLayout, 271
  - centering text (example), 77
  - Component class constants, 162
  - of components, 169
  - container components, 213
  - of containers, 253
  - GridBagLayout layout for, 13, 271-277, 694
  - GridLayout layout for, 11, 262-266, 701
  - labels, 190
  - layout managers and (see under specific layout manager)
  - VariableGridLayout layout for, 297-300
- ALLBITS constant, 411
- allowsMultipleMode(), 342
- alpha component, pixel, 415, 417, 420
- Alt key (see modifiers)
- ALT parameter (<APPLET> tag), 996
- anchor variable (GridBagConstraints class), 278
- animation, 56-58
  - MemoryImageSource class for, 427-429, 431-433
- append(), 322
- appendText(), 322
- Applet(), 476
- appletResize(), 488
- applets, 19, 475-483
  - Applet class, 476-483, 527
  - <APPLET> tag (HTML), 995-998
  - AppletContext interface, 485-487, 531
  - AppletStub interface, 487-488, 533
  - audio and, 481-483
  - (see also audio)
- arcHeight, arcWidth parameters, 29
- ARCHIVES parameter
  - <APPLET> tag, 996
  - <PARAM> tag, 998
- arcs, 32
- AreaAveragingScaleFilter class, 37, 468, 901
- ascent, font, 74
- audio, 488-493
  - applets and, 481-483
  - AudioClip interface, 483-485, 535
  - AudioData class, 488
  - AudioData class, 488
  - AudioDataStream class, 490
  - AudioPlayer class, 491
  - AudioStream class, 489
  - AudioStreamSequence class, 491
  - beep(), 503
  - ContinuousAudioDataStream class, 490
- AWT
  - versions of, 2
- AWT, versions of, xiii
- AWTError error, 473-474, 536

AWTEvent(), 125  
AWTEvent class, 118-159, 537  
    constants of, 124  
AWTEventMulticaster(), 154  
AWTEventMulticaster class, 153-159, 541  
AWTException exception, 471, 553

## B

background colors, 89, 164  
    highlighted text, 91  
    images, 37  
    windows, 91  
beep(), 503  
BITFTP, obtaining examples by, xix  
BLOCK\_ constants, 143  
blue (color), 82-83, 415, 417-418, 421  
blurring filter (example), 456-459  
BOLD constant, 68  
BorderLayout(), 259  
BorderLayout layout, 12, 257-262, 557  
borders  
    caption, color of, 89-90  
    inset, 220  
    windows, color of, 91  
BOTTOM\_ALIGNMENT constant, 163  
bounds(), 167  
brighter(), 83  
browsers, xx  
    getting information about, 487-488  
    status line for, 479, 487  
buffers (see memory)  
buttons, 9  
    Button class, 9, 192-197, 562  
    button events, 194-197  
    button mask constants, 133  
    ButtonPeer interface, 951  
    ImageButton class, 9  
    keyboard events and, 195  
    mouse (see mouse events)  
    raised rectangles for, 30  
ByteArrayImageSource class, 1015  
bytesWidth(), 78

## C

CAB files, 998  
CABBASE parameter name (<PARAM>  
    tag), 998  
calculator example, 197

Canvas(), 200  
Canvas class, 9, 199, 565  
CanvasPeer interface, 952  
captions, colors for, 89-90  
CardLayout(), 267  
CardLayout layout, 12, 266-271, 566  
carets, 307  
cascading filters, 469  
CENTER\_ALIGNMENT constant, 163  
centering (see alignment)  
chains, listener (see AWTEventMulticaster  
    class)  
CHAR\_UNDEFINED constant, 135  
characters, 23  
    drawing, 23  
    echoing, 314  
    width of, 76-78  
    (see also strings)  
charsWidth(), 78  
charWidth(), 76  
checkAll(), 64  
Checkbox(), 350  
checkboxes  
    Checkbox component, 4, 349-355, 571  
    checkbox events, 352-355  
    checkbox menu events, 374-375  
    CheckboxGroup class, 4, 356-357, 576  
    CheckboxMenuItem class, 373-375, 578  
    CheckboxMenuItemPeer interface, 952  
    state of, 351  
CheckboxGroup(), 356  
CheckboxMenuItem(), 373  
checkID(), 64  
checkImage()  
    ImageObserver interface, 173  
    Toolkit class, 500  
Choice(), 332  
Choice component, 5, 331-338, 580  
ChoicePeer interface, 954  
circles (see ovals)  
classes, 50  
    adapter, 119  
    AWTEvent class, 118-159  
    (see also under specific class name)  
clear(), 340  
clearRect(), 24  
clickCount variable, 102

- clicking mouse buttons (see mouse events)
- Clipboard(), 507
- clipboards, xv, 19, 499, 510-512
  - Clipboard class, 507-508, 819
  - ClipboardOwner interface, 506, 821
  - StringSelection class, 508, 825
- clipping area, 24-26
- clipRect(), 24
- clone()
  - GridBagConstraints class, 282
  - ImageFilter class, 455
  - Insets class, 220
- CODE parameter (<APPLET> tag), 997
- CODEBASE parameter (<APPLET> tag), 997
- Color(), 82
- ColorModel(), 414
- colors, 80-94, 470
  - background, 89, 164
  - highlighted text, 91
  - images, 37
  - windows, 91
- caption, 89-90
- Color class, 81-87, 585
- ColorModel class, 413-421, 903
- DirectColorModel class, 416, 908
- foreground, 24, 164
- IndexColorModel class, 418-421, 926
- menus and, 90
- pop-up help and, 90
- predefined, 81, 87-91, 94
- SystemColor class, 87-92, 783
- XOR mode and, 26
- (see also images)
- columns (see alignment)
- columnWeights[] variable, 274
- columnWidths[] variable, 274
- comparing
  - colors, 87
  - dimensional sizes, 43
  - fonts, 72
  - insets, 220
  - menu shortcuts, 365
  - MIME types, 504
  - points, 42
  - rectangles, 50
- COMPLETE constant, 61
- COMPLETESCANLINES constant, 435
- compList program, 1009-1012
- Component(), 163
- COMPONENT\_ constants, 126-127
- ComponentAdapter interface, 148, 838
- componentAdded(), 149
- ComponentEvent(), 126
- ComponentEvent class, 126, 840
- componentHidden(), 148
- ComponentListener interface, 148, 842
- componentMoved(), 108, 148
- componentRemoved(), 149
- componentResized(), 148
- components, 3, 162-189, 207
  - CardLayout layout for, 12, 266-271, 566
  - Component class, 162-189, 592
  - ComponentPeer interface, 955
  - designing, 200-204
  - handling events in, 187-189
  - padding around, 281
  - peers for (see peers)
  - state of, 174-177
  - (see also containers)
- componentShown(), 148
- constants, 53
  - alignment, 162
  - AWTEvent class, 124
  - cursor shapes, 205
  - for each keyboard key, 134
  - Event class, 104-113
  - for cursor shapes, 227
  - predefined colors, 81, 87-91, 94
  - (see also under specific constant name)
- consume()
  - AWTEvent class, 125
  - InputEvent class, 134
- Container(), 208
- CONTAINER\_ constants, 127
- ContainerEvent(), 127
- containers, 13-17, 50, 207-218
  - Container class, 207-218, 620
  - ContainerAdapter interface, 148, 843
  - ContainerEvent class, 127, 844
  - ContainerListener interface, 148, 847
  - ContainerPeer interface, 962
  - (see also components; under specific container)
- contains()
  - Container class, 169
  - Polygon class, 51
  - Rectangle class, 48

- contains() (continued)
  - content types, 502-505, 822
  - ContinuousAudioDataStream class, 490
  - control color, 89
  - Control key (see modifiers)
  - controlDkShadow color, 89
  - controlDown(), 114
  - controlHighlight color, 89
  - controlLtHighlight color, 89
  - controlShadow color, 89
  - controlText color, 90
  - converting
    - colors formats (RGB/HSB), 86
    - images to pixels, 445-453
  - coordinates, 19
    - coordinate system (see graphics)
    - of events, 103
    - GridBagLayout components, 279
    - mouse event, 140
    - (see also points)
  - copyArea(), 26
  - CornerLayout layout (example), 287-294
  - corners, rounded, 29
  - countComponents(), 208
  - countItems()
    - Choice component, 332
    - List component, 339
    - Menu class, 371
  - countMenus(), 377
  - create(), 22
  - createImage()
    - Component class, 36, 172
  - createImage()
    - Toolkit class, 502
  - cropping images, 38
    - CropImageFilter class, 465, 906
  - CTRL key (see modifiers)
  - Cursor(), 205
  - cursors
    - components and, 165
    - Cursor class, 205, 630
    - Frame class constants for, 227
- D**
- darker(), 83
  - data, 501-512
    - DataFlavor class, 502-505, 822
    - Transferable interface, 505, 828
    - (see also clipboards)
  - DataFlavor(), 503
  - date (see time and date)
  - debugging by overriding event handlers, 101
  - decode()
    - Color class, 85
    - Font class, 72
  - de-emphasizing with color, 83, 89, 92
  - delegation model for event handling, 117-159
  - deleteMenuShortcut(), 367
  - deleteShortcut(), 378
  - deleting, 179
    - applets, 480
    - Graphics objects, 22, 40
    - ImageConsumers (see removeConsumer())
    - layout components (see removeLayoutComponent())
    - listener interfaces, 156
    - (see also remove...Listener())
    - menu shortcuts, 367, 378
    - objects from MediaTracker, 62
    - peers (see removeNotify())
    - (see also remove(); removeAll())
  - delItem(), 341
  - delItems(), 341
  - deliverEvent(), 96
    - Component class, 180
    - Container class, 214
  - descent, font, 74
  - deselect(), 342
  - DESELECTED constant, 145
  - desktop colors (see SystemColor class)
  - destroy(), 480
  - Dialog(), 235
  - dialogs, 16, 234-241
    - Dialog class, 234-238, 633
    - DialogPeer interface, 963
    - for files (see FileDialog class)
  - Dimension(), 43
  - Dimension class, 42, 637
  - dimensions (see size)
  - DirectColorModel(), 416
  - DirectColorModel class, 416, 908
  - disable()
    - Container class, 177
    - MenuItem class, 367

disableEvents()  
     Component class, 188  
     MenuItem class, 369  
 disabling LayoutManager, 284  
 dispatchEvent(), 362  
 dispose()  
     Frame class, 229  
     Graphics class, 40  
     Window class, 224  
 documentation (see help)  
 doLayout()  
     Component class, 169  
     Container class, 213  
     ScrollPane container, 403  
 double buffering, 58-60  
 draw3DRect(), 30  
 drawArc(), 32  
 drawBytes(), 23  
 drawChars(), 23  
 drawImage(), 36-39  
 drawing (see graphics)  
 drawLine(), 28  
 drawOval(), 31  
 drawPolygon(), 33  
 drawPolyline(), 34  
 drawRect(), 29  
 drawRoundRect(), 29  
 drawString(), 23  
 DynamicFilter class (example), 459

## **E**

echoCharIsSet(), 314  
 echoing characters, 314  
 enable()  
     Container class, 177  
     MenuItem class, 367  
 enableEvents()  
     Component class, 187  
     MenuItem class, 369  
 end(), 517  
 equality (see comparing)  
 equals()  
     Color class, 87  
     of data flavors (MIME types), 505  
     Dimension class, 43  
     Font class, 72  
     Insets class, 220  
     MenuShortcut class, 365  
     Point class, 42  
     Rectangle class, 50  
 ERROR constant, 411  
 ERRORED constant, 61  
 errors, 63, 473-474  
     FileDialog class and Navigator, 242  
     multimedia, 61  
     when loading images, 65  
     (see also exceptions)  
 Event(), 113  
 EventQueue(), 158  
 events, xiv, 18, 95-159  
     checkbox, 352-355  
     components and, 180-189  
     containers and, 214  
     Event class, 101-116, 639  
     event methods, 113-115  
     event multicasters, 153-159, 541  
     event queue, 117, 158, 499, 652  
     event triggers, 7  
     event types, 121  
     EventQueue class, 117, 158, 652  
     FileDialog class and, 112  
     focus (see focus events)  
     frames and, 230  
     handlers, 97, 100  
     handling at component level, 187-189  
     Java 1.0 model of, 96-101  
     Java 1.1 model of, 117-159  
     keyboard (see keyboard events)  
     listeners (see listener interfaces)  
     lists and, 335-338, 344-349  
     menu, 362, 368-370, 374-375, 380-382  
     mouse (see mouse events)  
     platforms and, 999-1012  
     scrolling (see scrolling, scrolling events)  
     target of, 96, 103  
     TextArea class and, 325-328  
     TextComponent class and, 309-311  
     TextField class and, 315-319  
     types of, 97  
     windows and, 225, 230  
 example programs, obtaining, xvii  
 exceptions, 63, 471-473  
     MIME content type, 509  
     (see also errors; under specific excep-  
         tion)

**F**

family, font, 69  
 fetching images, 1016  
 FileDialog(), 242  
 FileDialog class, 16, 241-248, 653  
   events for, 112  
 FileDialogPeer interface, 964  
 FileImageSource class, 1015  
 fill variable (GridBagConstraints class), 278  
 fill3DRect(), 30  
 fillArc(), 33  
 fillOval(), 31  
 fillPolygon(), 35  
 fillRect(), 29  
 fillRoundRect(), 29  
 FilteredImageSource(), 424  
 FilteredImageSource class, 423, 911  
 filterIndexColorModel(), 464  
 filtering images, 453-470  
   cascading filters, 469  
 filterRGB(), 464  
 filterRGBPixels(), 464  
 finalize()  
   ColorModel class, 416  
   Graphics class, 40  
   PrintJob class, 517  
 first(), 269  
 flavors, data (see data)  
 flipping images, 38  
 FlowLayout(), 254  
 FlowLayout layout, 11, 253-257, 657  
 flush(), 55  
 focus  
   components and, 177  
   focus events, 111, 184, 189  
     FocusEvent class, 128, 849  
     listeners for (see listener interfaces)  
     TextArea class and, 328  
     TextField class and, 316  
   (see also events)  
   FocusAdapter, FocusListener interfaces,  
     149, 848, 851  
 FOCUS\_ constants, 128  
 FocusEvent(), 129  
 focusGained(), 112, 149  
 focusLost(), 112, 149  
 Font(), 69  
 FontMetrics class, 665  
 fonts, 67-73, 164

Font class, 68-73, 661  
 font size, 68, 70  
   character width, 76-78  
   font height, 74-76  
 FontMetrics class, 73-80  
   graphics and, 24  
 FontPeer class, 70  
 FontX class, 69  
   graphics and, 23  
   menus and, 361  
   style of, 68, 70  
 foreground  
   colors, 24  
 foreground colors, 164  
 Frame(), 228  
 FRAMEBITS constant, 411  
 frames, 15, 227-234  
   centering text in (example), 77  
 Frame class, 227-232, 669  
 FramePeer interface, 965  
 menubars on, 375-378  
 menus in (see menus)  
 (see also windows)  
 FTP, obtaining examples by, xvii  
 Ftpmail, obtaining examples by, xviii

**G**

gap settings  
   BorderLayout layout, 259  
   CardLayout layout, 267  
   FlowLayout layout, 256  
   GridLayout layout, 264  
 garbage collection, 40  
 getActionCommand()  
   ActionEvent class, 142  
   Button component, 193  
   MenuItem class, 368  
 getAdjustable(), 144  
 getAdjustmentType(), 144  
 getAlignment()  
   FlowLayout layout, 255  
   Label component, 191  
 getAlignmentX()  
   Component class, 169  
   Container class, 213  
 getAlignmentY()  
   Component class, 169  
   Container class, 213

- getAlpha()
  - ColorModel class, 415
  - DirectColorModel class, 417
  - IndexColorModel class, 420
- getAlphaMask(), 417
- getAlphas(), 421
- getApplet(), 485
- getAppletContext()
  - Applet class, 476
  - AppletStub interface, 488
- getAppletInfo(), 478
- getApplets(), 486
- getAscent(), 75
- getAudioClip()
  - Applet class, 482
  - AppletContext interface, 485
- getBackground(), 164
- getBlockIncrement()
  - Adjustable interface, 401
  - Scrollbar class, 390
- getBlue()
  - Color class, 83
  - ColorModel class, 415
  - DirectColorModel class, 417
  - IndexColorModel class, 421
- getBlueMask(), 418
- getBlues(), 421
- getBoundingBox(), 51
- getBounds()
  - Component class, 167
  - Polygon class, 51
  - Rectangle class, 46
  - Shape class, 44
- getCaretPosition(), 307
- getCheckboxGroup(), 351
- getClickCount(), 141
- getClip(), 26
- getClipBounds(), 26
- getClipRect(), 26
- getCodeBase()
  - Applet class, 477
  - AppletStub interface, 488
- getColFraction(), 299
- getColor()
  - Color class, 85
  - Graphics class, 24
- getColorModel(), 165
  - PixelGrabber class, 449
  - Toolkit class, 496
- getColumns()
  - GridLayout layout, 263
  - TextArea class, 323
  - TextField class, 313
- getComponent()
  - ComponentEvent class, 127
  - Container class, 208
  - ContainerEvent class, 128
- getComponentAt()
  - Component class, 169
  - Container class, 214
- getComponentCount(), 208
- getComponents(), 209
- getConstraints(), 276
- getContainer(), 128
- getContents(), 508
- getCurrent(), 356
- getCursorType(), 230
- getCursor(), 165
- getData(), 490
- getDefaultCursor(), 206
- getDefaultToolkit(), 496
- getDescent(), 75
- getDirectory(), 243
- getDocumentBase()
  - Applet class, 477
  - AppletStub interface, 487
- getEchoChar(), 314
- getDecent(), 75
- getDescent(), 75
- getErrorsAny(), 65
- getErrorsID(), 65
- getFamily(), 69
- getFilenameFilter(), 244
- getFile(), 243
- getFilterInstance(), 455
- getFocusOwner(), 225
- getFont()
  - Component class, 164
  - Font class, 71
  - FontMetrics class, 79
  - Graphics class, 23
  - MenuComponent class, 361
  - MenuContainer interface, 364
- getFontList(), 497
- getFontMetrics(), 24, 165, 497
- getForeground(), 164
- getGraphics(), 165
  - Component class, 21



- getGraphics() (continued)
  - Image class, 55
  - PrintJob class, 516
- getGreen()
  - Color class, 83
  - ColorModel class, 415
  - DirectColorModel class, 417
  - IndexColorModel class, 420
- getGreenMask(), 418
- getGreens(), 421
- getHAdjustable(), 404
- getHeight(), 54
  - FontMetrics class, 75-76
  - PixelGrabber class, 449
- getHelpMenu(), 378
- getHgap()
  - BorderLayout layout, 259
  - CardLayout layout, 267
  - FlowLayout layout, 256
  - GridLayout layout, 264
- getHSBColor(), 86
- getHScrollbarHeight(), 403
- getHumanPresentableName(), 504
- getIconImage(), 228
- getID(), 125
- getImage()
  - Applet class, 36, 480
  - Toolkit class, 36
- getImage()
  - AppletContext interface, 485
  - Toolkit class, 500
- getInsets(), 217
- getItem()
  - AWTEvent class, 145
  - Choice component, 332
  - List component, 340
  - Menu class, 371
- getItemCount()
  - Choice component, 332
  - List component, 339
  - Menu class, 371
- getItems(), 340
- getItemSelectable(), 145
- getKey(), 365
- getKeyChar(), 136
- getKeyModifiersText(), 138
- getKeyText(), 137
- getLabel(), 192
  - Checkbox component, 350
  - MenuItem class, 366
- getLayout(), 211
- getLayoutAlignmentX()
  - BorderLayout layout, 262
  - CardLayout layout, 268
  - GridBagLayout layout, 275
  - LayoutManager2 interface, 253
- getLayoutAlignmentY()
  - BorderLayout layout, 262
  - CardLayout layout, 269
  - GridBagLayout layout, 276
  - LayoutManager2 interface, 253
- getLayoutDimensions(), 276
- getLayoutOrigin(), 276
- getLayoutWeights(), 277
- getLeading(), 75
- getLength(), 490
- getLineIncrement(), 389
- getLocale(), 472
  - Applet class, 479
  - Component class, 165
  - Window class, 224
- getLocation()
  - Component class, 166
  - Point class, 42
  - Rectangle class, 46
- getLocationOnScreen(), 166, 472
- getMapSize(), 421
- getMaxAdvance(), 78
- getMaxAscent(), 75
- getMaxDescent(), 75
- getMaximum()
  - Adjustable interface, 401
  - Scrollbar class, 389
- getMaximumSize()
  - Component class, 168
  - Container class, 212
- getMenu(), 377
- getMenuBar(), 229
- getMenuCount(), 377
- getMenuShortcut(), 366
- getMenuShortcutKeyMask(), 497
- getMimeType(), 504
- getMinimum()
  - Adjustable interface, 400
  - Scrollbar class, 389
- getMinimumSize()
  - Component class, 168
  - Container class, 212

- getMinimumSize() (continued)
  - List component, 343
  - TextArea class, 324
  - TextField class, 314
- getMode(), 244
- getModifiers()
  - ActionEvent class, 142
  - InputEvent class, 133
- getName()
  - Clipboard class, 507
  - Component class, 178
  - Font class, 69
  - MenuComponent class, 361
- getNextEvent(), 159
- getOrientation()
  - Adjustable interface, 400
  - Scrollbar class, 388
- getPageDimension(), 517
- getPageIncrement(), 390
- getPageResolution(), 517
- getParameter()
  - Applet class, 477
  - AppletStub interface, 488
- getParameterInfo(), 478
- getParent()
  - Component class, 178
  - MenuComponent class, 363
- getPeer()
  - Container class, 173
  - Font class, 70
  - MenuComponent class, 362
- getPixels(), 449
- getPixelSize(), 415
- getPoint(), 140
- getPredefinedCursor(), 206
- getPreferredSize()
  - Component class, 168
  - Container class, 212
  - List component, 343
  - TextArea class, 323
  - TextField class, 313
- getPrintJob()
  - PrintGraphics interface, 515
  - Toolkit class, 497
- getProperty()
  - Image class, 55
  - Toolkit class, 498
- getRed()
  - Color class, 83
  - ColorModel class, 415
  - DirectColorModel class, 417
  - IndexColorModel class, 420
- getRedMask(), 418
- getReds(), 421
- getRepresentationClass(), 504
- getRGB()
  - Color class, 83
  - ColorModel class, 415
  - DirectColorModel class, 417
  - IndexColorModel class, 421
  - SystemColor class, 92
- getRGBdefault(), 415
- getRowFraction(), 299
- getRows(), 264
  - List component, 343
  - TextArea class, 323
- getScaledInstance(), 53-54
- getScreenResolution(), 499
- getScreenSize(), 499
- getScrollbarDisplayPolicy(), 403
- getScrollbarVisibility(), 324
- getScrollPosition(), 405
- getSelectedCheckbox(), 356
- getSelectedIndex(), 334
  - List component, 341
- getSelectedIndexes(), 341
- getSelectedItem()
  - Choice component, 333
  - List component, 341
- getSelectedItems()
  - CheckboxMenuItem class, 374
  - List component, 341
- getSelectedObjects()
  - Checkbox component, 351
  - Choice component, 334
  - ItemSelectable interface, 357
  - List component, 342
- getSelectedText(), 307
- getSelectionEnd(), 306
- getSelectionStart(), 306
- getShortcutMenuItem(), 377
- getSize()
  - Component class, 167
  - Dimension class, 43
  - Font class, 70
  - Rectangle class, 47

- getSize() (continued)
  - getSource(), 54
  - getState()
    - Checkbox component, 351
    - CheckboxMenuItem class, 373
  - getStateChange(), 146
  - getStatus(), 448
  - getStyle(), 70
  - getSystemClipboard(), 499
  - getSystemEventQueue(), 499
  - getSystemEventQueueImpl(), 499
  - getText()
    - Label component, 190
    - TextComponent class, 306
  - getTitle()
    - Dialog class, 235
    - Frame class, 228
  - getToolkit()
    - Component class, 164
    - Window class, 224
  - getTransferDataFlavors()
    - DataFlavor class, 506
    - StringSelection class, 508
  - getTransferData()
    - StringSelection class, 509
    - Transferable interface, 506
  - getTransparentPixel(), 421
  - getTreeLock(), 178
  - getType(), 206
  - getUnitIncrement()
    - Adjustable interface, 401
    - Scrollbar class, 389
  - getUpdateRect(), 132
  - getVAdjustable(), 404
  - getValue()
    - Adjustable interface, 400
    - AdjustmentEvent class, 144
    - Scrollbar class, 389
  - getVgap()
    - BorderLayout layout, 259
    - CardLayout layout, 267
    - FlowLayout layout, 256
    - GridLayout layout, 264
  - getViewPortSize(), 403
  - getVisibleAmount()
    - Adjustable interface, 400
    - Scrollbar class, 388
  - getVisibleIndex(), 343
  - getVisible(), 388
  - getVScrollbarWidth(), 404
  - getWarningString(), 225
  - getWhen(), 133
  - getWidth()
    - Image class, 54
    - PixelGrabber class, 448
  - getWidths(), 78
  - getWindow(), 131
  - getX(), 140
  - getY(), 140
  - GOT\_FOCUS event, 112, 316, 328
  - gotFocus()
    - Component class, 185
    - TextArea class, 328
    - TextField class and, 317
  - grabPixels(), 447
  - graphics, 41
    - animation (see animation)
    - Canvas class for, 9, 199, 565
    - components and, 170-171
    - Container class and, 216
    - coordinate space, 39, 41
    - double buffering, 58-60
    - Graphics class, 21-40, 675
    - images (see images)
    - multimedia and, 61-66
    - PaintEvent class, 131, 888
    - printing, 513-515, 760
    - shapes and (see shapes)
    - XOR mode, 26
    - (see also points)
  - green (color), 82-83, 415, 417-418, 421
  - GridBagConstraints(), 282
  - GridBagConstraints class, 689
  - GridBagLayout(), 274
  - GridBagLayout layout, 13, 271-277, 694
    - GridBagConstraints class, 277-282
  - gridheight, gridwidth variables (GridBag-Constraints class), 280
  - GridLayout(), 263
  - GridLayout layout, 11, 262-266, 701
  - grow(), 47
- ## H
- handleEvent(), 96-100
    - Component class, 180
  - hashCode()
    - Color class, 87
    - Font class, 72

hashCode() (continued)  
 Point class, 42  
 Rectangle class, 50  
 height (see size)  
 HEIGHT parameter (<APPLET> tag), 997  
 help  
 help menus, 378  
 pop-up help colors, 90  
 resources for further reading, xx  
 hide(), 176  
 highlighting with color, 83, 89, 91-92  
 horizontal  
 alignment (see alignment)  
 character width, 76-78  
 gaps (see gap settings)  
 HorizBagLayout, 294  
 scrollbars (see scrolling)  
 size (see size)  
 HSB colors, 81, 86  
 HSBtoRGB(), 86  
 HSPACE parameter (<APPLET> tag), 997

## I

IllegalComponentStateException exception, 472, 705  
 IMAGEABORTED constant, 435  
 imageComplete(), 437  
 ImageFilter class, 455  
 PixelGrabber class, 447  
 IMAGEERROR constant, 435  
 images, 35-39, 409-413, 422-453, 470  
 animation with, 56-58  
 applets and, 480  
 AreaAveragingScaleFilter class, 468  
 components and, 171-173  
 converting to pixels, 445-453  
 cropping, 465  
 decoders for, 1015  
 double buffering, 58-60  
 DynamicFilter class (example), 459  
 FilteredImageSource class, 423  
 Image class, 52-60, 706, 1014  
 image filters, 453-470  
 ImageButton class, 9  
 ImageConsumer interface, 434-453, 913  
 ImageFetcher class, 1016  
 ImageFilter class, 454, 917

ImageObserver interface, 36, 410-413, 922  
 ImageProducer interface, 422-433, 924  
 ImageProducer object, 54  
 ImageRepresentation consumer, 1014  
 InputStreamImageSource class, 1015  
 loading (see loading images)  
 MemoryImageSource class, 425-433, 931  
 modifying, 449  
 multimedia and, 61-66  
 PixelGrabber class, 445-453  
 PPMImageDecoder class (example), 438-445  
 ReplicateScaleFilter class, 467, 943  
 RGBImageFilter class, 462-465, 946  
 scrolling (example), 393-399  
 size of, 54, 410, 436  
 sources, classes for, 1015  
 Toolkit class and, 499-502  
 (see also colors; graphics)  
 imageUpdate(), 171, 412-413  
 inactiveCaption color, 90  
 inactiveCaptionBorder color, 90  
 inactiveCaptionText color, 90  
 incrementalDraw parameter, 172  
 IndexColorModel class, 418-421, 926  
 info color, 90  
 infoText color, 90  
 inheritance, 521  
 init()  
 Applet class, 479  
 MediaTracker class, 65  
 input, 3-7  
 Checkbox component, 349-355, 571  
 CheckboxGroup class, 356-357, 576  
 Choice component, 331-338, 580  
 dialogs (see dialogs; FileDialog class)  
 InputEvent class, 132-134, 852  
 keyboard, 4  
 List component, 338-349  
 menus for (see menus)  
 multiline text (see text, TextArea class)  
 single-line text (see text, TextField class)  
 text (see text)  
 insert()  
 Choice component, 333  
 Menu class, 371  
 TextArea class, 322  
 inserting text, 307

- insertSeparator(), 371
  - insets(), 217
  - Insets class, 219-221, 709
  - inside()
    - Container class, 169
    - Polygon class, 51
    - Rectangle class, 48
  - interfaces, 50
    - listeners (see listener interfaces)
    - peer (see peers)
    - (see also under specific interface)
  - InterruptedException, waiting and, 63
  - intersection(), 48
  - intersections with rectangles, 48-49
  - intersects(), 48
  - invalidateLayout(), 253
    - BorderLayout layout, 262
    - CardLayout layout, 269
    - GridBagLayout layout, 276
  - invalidate()
    - Component class, 175
    - Container class, 214
  - isActionKey(), 137
  - isActive()
    - Applet class, 479
    - AppletStub interface, 487
  - isAltDown(), 133
  - isAncestorOf(), 211
  - isBold(), 70
  - isConsumed()
    - AWTEvent class, 125
    - InputEvent class, 134
  - isConsumer()
    - FilteredImageSource class, 424
    - ImageProducer interface, 423
    - MemoryImageSource class, 427
  - isControlDown(), 133
  - isDataFlavorSupported()
    - DataFlavor class, 506
    - StringSelection class, 509
  - isEditable(), 308
  - isEmpty(), 49
  - isEnabled()
    - Component class, 176
    - MenuItem class, 367
  - isErrorAny(), 65
  - isErrorID(), 65
  - isFocusTraversable(), 177
  - isIndexSelected(), 342
  - isItalic(), 70
  - isMetaDown(), 133
  - isMimeTypeEqual(), 504
  - isModal(), 236
  - isMultipleMode(), 342
  - isPlain(), 70
  - isPopupTrigger(), 141
  - isResizable()
    - Dialog class, 236
    - Frame classM, 229
  - isSelected(), 342
  - isShiftDown(), 133
  - isShowing(), 175
  - isTearOff(), 372
  - isTemporary(), 129
  - isValid(), 175
  - isVisible(), 175
  - ITALIC constant, 68
  - ITEM\_ constants, 145
  - ItemEvent class, 144, 855
  - ItemListener interface, 149, 858
  - ItemSelectable interface, 357, 711
  - itemStateChanged(), 111-112, 150
- J**
- JAR files, 998
  - Java
    - resources for further reading, xx
    - versions of, xiii
  - Java 1.0
    - Event class constants, 104
    - event handling, 96-101, 117-159
    - mouse buttons in, 115
  - JavaBeans, xv
- K**
- KEY\_ constants, 135
  - KEY\_ events, 104, 106, 134
  - key text properties, 137
  - keyboard events, 100, 106, 189
    - buttons and, 195
    - Checkbox component and, 354
    - Choice component and, 335
    - constants for each key, 134
    - Event class constants for, 104
    - key variable, 103
    - KeyAdapter class, 859
    - KeyEvent class, 134-139, 860

- keyboard events (continued)
    - KeyListener interface, 878
    - KeyListener, KeyAdapter interfaces, 150
    - List component and, 346
    - listeners for (see listener interfaces)
    - modifiers for, 103, 105, 113, 132-133, 137, 365
      - key modifier text properties, 138
    - TextArea class and, 326
    - TextField class and, 315-316
      - (see also events; events)
  - keyboard input, 4
  - keyboard shortcuts, 364-365, 377
  - keyDown( )
    - Button component, 195
    - Checkbox component, 354
    - Choice component and, 335
    - Component class, 182
    - Event class, 106
    - List component, 346
    - TextArea class, 326
    - TextField class, 315
  - keyEvent( ), 136
  - keyPressed( ), 106, 150
  - keyReleased( ), 106, 150
  - keyTyped( ), 150
  - keyUp( )
    - Button component, 195
    - Checkbox component, 354
    - Choice component and, 336
    - Component class, 182
    - Event class, 106
    - List component, 346
    - TextArea class, 327
    - TextField class, 316
- L**
- Label( ), 190
  - labels
    - Label component, 3, 189-192, 712
    - LabelPeer interface, 966
    - for menu items, 366
  - last( ), 269
  - lastPageFirst( ), 517
  - layout( )
    - Component class, 169
    - ScrollPane container, 403
  - layoutContainer( ), 252
    - BorderLayout layout, 268
    - FlowLayout layout, 268
    - GridLayout layout, 266, 275
    - HorizBagLayout layout, 295
    - LayoutManager interface, 287
    - OrientableFlowLayout layout, 302
    - VariableGridLayout layout, 299
    - VerticalBagLayout layout, 297
  - layouts, 10-13, 249-253, 302
    - BorderLayout, 12, 257-262, 557
    - CardLayout, 12, 266-271, 566
    - combining, 282
    - containers and, 211-214
    - CornerLayout (example), 287-294
    - designing, 285-294
    - disabling LayoutManager, 284
    - FlowLayout, 11, 253-257, 657
    - GridBagConstraints class, 277-282, 689
    - GridBagLayout, 13, 271-277, 694
    - GridLayout, 11, 262-266, 701
    - HorizBagLayout, 294
    - LayoutManager interface, 10, 250-253, 715
    - LayoutManager2 interface, 252-253, 717
    - OrientableFlowLayout, 300-302
    - scrollbar, 403
    - from sun.awt package, 294-302
    - VariableGridLayout, 297-300
    - VerticalBagLayout, 296
  - leading, font, 74
  - LEFT\_ALIGNMENT constant, 163
  - LightweightPeer interface, xv, 503, 967
  - line increment, scrollbars, 389
  - lines, 28
    - arcs, 32
    - connecting to form polygons, 34
    - width of, 28
  - list( )
    - Component class, 179
    - Container class, 218
  - List class, 6, 339
  - LIST\_ events, 347
  - listener interfaces, 118, 147-153
    - AWTEventMulticaster class, 153-159, 541
    - for checkbox events, 355
    - components and, 185
    - containers and, 214
    - for list events, 336-338, 347
    - for menu events, 374

- listener interfaces (continued)
    - for menu item events, 368
    - for scrolling events, 392
    - for text events, 310-311, 315, 317-319
    - TextField class and, 317
    - windows and, 226
  - lists
    - checkboxes (see checkboxes)
    - List component, 338-349, 719
    - list events, 111, 335-338, 344-349
    - ListPeer interface, 967
    - pop-up, 331-338
  - LiveConnect, 997
  - LOADING constant, 61
  - loading images, 61-66, 1013-1016
    - ImageObserver constants for, 411
    - status of (see status, loading)
  - Locale class, 165
  - locate()
    - Component class, 169
    - Container class, 214
  - location()
    - Component class, 166
    - GridBagLayout layout, 277
  - loop(), 484
  - LOST\_FOCUS event, 112, 316, 328
  - lostFocus()
    - Component class, 185
    - TextArea class, 328
    - TextField class and, 317
  - lostOwnership()
    - ClipboardOwner interface, 506
    - StringSelection class, 509
- M**
- mail servers, obtaining examples by, xviii
  - makeVisible(), 343
  - Mandelbrot program (example), 431
  - maxAscent value, 74
  - maximumLayoutSize(), 253
    - BorderLayout layout, 261
    - CardLayout layout, 268
    - GridBagLayout layout, 275
  - MAYSCRIPT parameter (<APPLET> tag), 997
  - MediaTracker class, 61-66
  - memory, 22
    - color and, 413
    - garbage collection, 40
    - image data size, 448
    - MemoryImageSource class, 425-433, 931  
(see also performance)
  - Menu(), 370
  - MenuBar(), 376
  - MenuComponent(), 361
  - MenuItem(), 366
  - menus, 7, 359-373, 378-382
    - checkboxes (see checkboxes)
    - colors of, 90
    - help menus, 378
    - Menu class, 370-373, 734
    - menu events, 362, 368-370, 374-375, 380-382
    - MenuBar class, 375-378, 738
    - MenuBarPeer interface, 970
    - MenuComponent class, 361-363, 741
    - MenuComponentPeer interface, 972
    - MenuContainer interface, 363, 744
    - MenuItem class, 365-370, 745
    - MenuItemPeer interface, 972
    - MenuPeer interface, 973
    - MenuShortcut class, 364-365, 750
    - pop-up (see pop-up menus)
  - MenuShortcut(), 364
  - menuText color, 90
  - Meta key (see modifiers)
  - metaDown(), 114
  - methods, 50
    - renaming for Java 1.1, xv, 2  
(see also under specific class or method name)
  - MIME content types, 502-505, 822
  - minimumLayoutSize(), 251
    - BorderLayout layout, 260
    - CardLayout layout, 268
    - FlowLayout layout, 257
    - GridLayout layout, 265, 275
    - HorizBagLayout layout, 295
    - LayoutManager interface, 286
    - OrientableFlowLayout layout, 302
    - VerticalBagLayout layout, 297
  - minimumSize()
    - Component class, 168
    - Container class, 212
    - List component, 343
    - TextArea class, 324
    - TextField class, 314
  - modes, FileDialog class, 242

- modifiers
    - action event, 142
    - getModifiers(), 133, 142
    - keyboard, 103, 105, 113, 132-133, 137
      - key modifier text properties, 138
    - mouse button, 105, 113, 133
  - modifiers, keyboard
    - for menu shortcuts, 365
  - monitor resolution, 499
  - monitor size, 499
  - MOUSE\_ constants, 139
  - mouse events, 100, 108, 189
    - button modifiers, 113
    - button modifiers, 105, 133
    - clickCount variable, 102
    - Component class and, 182-184
    - in Java 1.0, 115
    - listeners for (see listener interfaces)
    - MouseAdapter class, 879
    - MouseAdapter interfaces, 150
    - MouseEvent class, 139-141, 881
    - MouseListener interface, 884
    - MouseListener interfaces, 150
    - MouseMotionAdapter class, 886
    - MouseMotionAdapter interface, 151
    - MouseMotionListener class, 887
    - MouseMotionListener interface, 151
    - scrollbars and, 392
    - (see also events; events)
  - mouse for text selection, 306-307
  - mouseClicked(), 151
  - mouseDown()
    - Component class, 183
    - Event class, 108
  - mouseDrag()
    - Component class, 183
    - Event class, 109
  - mouseDragged(), 109, 152
  - mouseEnter()
    - Component class, 183
    - Event class, 109
  - mouseEntered(), 109, 151
  - MouseEvent(), 140
  - mouseExit()
    - Component class, 183
    - Event class, 109
  - mouseExited(), 109, 151
  - mouseMove()
    - Component class, 184
    - Event class, 108
  - mouseMoved(), 108, 152
  - mousePressed(), 108, 151
  - mouseReleased(), 108, 151
  - mouseUp()
    - Component class, 184
    - Event class, 108
  - move()
    - Component class, 166
    - Point class, 42
  - multiline input (see text, TextArea class)
  - multimedia, 61-66
    - MediaTracker class, 61-66, 729
  - multithreading (see threads)
- N**
- names
    - clipboards, 507
    - of components, 178
    - of data flavors (MIME types), 504
    - of fonts, 69
    - menu components, 361
    - NAME parameter
      - <APPLET> tag, 997
      - <PARAM> tag, 998
  - Netscape Navigator, 2
    - FileDialog class and, 242
  - newPixels(), 428
  - newsgroups, Java-related, xx
  - next(), 269
  - nextFocus(), 178
  - normalizeMimeType(), 504
  - normalizeMimeTypeParameter(), 505
- O**
- OBJECT parameter (<APPLET> tag), 997
  - objects
    - image (see images)
    - positioning and sizing, 166-170
  - obtaining source code, xvii
  - OffScreenImageSource class, 1015
  - OrientableFlowLayout layout, 300-302
  - orientHorizontally(), 302
  - orientVertically(), 302



- origin
  - coordinate space, 39
  - GridBagLayout layout, 276
- ovals, 31
- overriding
  - action() (see action())
  - handleEvent(), 100
  - imageUpdate(), 412
- owner, clipboard, 506, 821
- owner, contents, 507
- P**
- pack(), 223
- padding around components, 281
- paging increment, scrollbars, 390
- paint()
  - Canvas class, 200
  - Component class, 21, 170
  - Container class, 216
- paint mode, 26-28
- PAINT, PAINT\_ constants, 131
- paintAll(), 170
- paintComponents(), 216
- PaintEvent class, 131, 888
- painting (see graphics)
- Panel(), 219
- panels
  - CardLayout layout for, 12, 266-271, 566
  - FlowLayout layout for, 11, 253-257, 657
  - OrientableFlowLayout layout for, 300-302
  - Panel class, 218, 752
  - PanelPeer interface, 974
- <PARAM> tag (HTML), 477, 997
- paramString(), 131
  - ActionEvent class, 143
  - AdjustmentEvent class, 144
  - AWTEvent class, 126
  - Button component, 193
  - Checkbox component, 352
  - CheckboxMenuItem class, 374
  - Choice component, 334
  - Component class, 179
  - ComponentEvent class, 127
  - Container class, 217
  - ContainerEvent class, 128
  - Dialog class, 237
  - Event class, 114
  - FileDialog class, 245
  - FocusEvent class, 129
  - Frame class, 230
  - ItemEvent class, 146
  - KeyEvent class, 138
  - Label component, 191
  - List component, 344
  - Menu class, 372
  - MenuComponent class, 363
  - MenuItem class, 367
  - MenuShortcut class, 365
  - MouseEvent class, 141
  - PaintEvent class, 132
  - Scrollbar class, 391
  - ScrollPane container, 405
  - TextArea class, 324
  - TextComponent class, 309
  - TextEvent class, 146
  - TextField class, 315
  - WindowEvent class, 131
  - (see also toString())
- peekEvent(), 159
- peers, 10, 503-506, 951-985
  - Container class and, 173
  - Font class and, 70
- performance, 22
  - colors and, 414
  - deleting applets and, 480
  - Graphics objects and, 22
  - MediaTracker and, 62
  - (see also memory)
- PixelGrabber class, 445-453, 937
- pixels (see images)
- PLAIN constant, 68
- platforms
  - colors and, 81, 414
  - event handling and, 116
  - events and, 999-1012
  - font ascent and, 74
  - layouts and, 10-13
  - modifier keys and, 107
  - peer architecture, 10
  - scrolling events and, 392
  - Toolkit class, 495-503, 805
- play()
  - Applet class, 481
  - AudioClip interface, 483
- points, 19, 42
  - adding to polygons, 51
  - contained in rectangles, 48

- points (continued)
  - Point class, 41-42, 753
  - (see also Dimension class; graphics; coordinates)
- polygons, 33, 50-52
  - Polygon class, 50-52, 756
- pop-up lists, 331-338
- pop-up menus
  - PopupMenu class, xiv, 759
- pop-up menus, 7, 382-384
  - PopupMenu class, 383-384
  - PopupMenuPeer interface, 975
- portability, 1
  - events and, 116
- positioning objects, 166-170
- postEvent(), 98, 159
  - Component class, 180
  - MenuComponent class, 362
  - MenuContainer interface, 364
  - Window class, 226
- PPMImageDecoder class (example), 438-445
- predefined colors, 81, 87-91, 94
- preferredLayoutSize(), 251
  - BorderLayout layout, 260
  - CardLayout layout, 268
  - FlowLayout layout, 256
  - GridLayout layout, 264, 275
  - HorizBagLayout layout, 295
  - LayoutManager interface, 286
  - OrientalFlowLayout layout, 301
  - VerticalBagLayout layout, 297
- preferredSize()
  - Component class, 168
  - Container class, 212
  - List component, 343
  - TextArea class, 323
  - TextField class, 313
- prepareImage()
  - Component class, 173
  - Toolkit class, 500
- previous(), 269
- print()
  - Component class, 171, 517
  - Container class, 217
- printAll()
  - Component class, 171, 517
- printComponents()
  - Component class, 517
  - Container class, 216
  - ScrollPane container, 405
- printing, 19, 513-519
  - PrintGraphics interface, 513-515, 760
  - PrintJob class, 515-517, 761
  - Toolkit class and, 497
- priority, loading multimedia objects, 62
- processActionEvent(), 197
  - List component, 348
  - MenuItem class, 369
  - TextField class, 318
- processAdjustmentEvent()
  - Scrollbar class, 393
- processComponentEvent(), 188
- processContainerEvent(), 216
- processEvent()
  - button component, 197
  - Checkbox component, 355
  - Choice component, 336
  - Component class, 188
  - Container class, 215
  - List component, 348
  - Menu class, 375
  - MenuComponent class, 363
  - MenuItem class, 369
  - Scrollbar class, 393
  - TextComponent class, 311
  - TextField class, 318
  - Window class, 226
- processFocusEvent(), 188
- processItemEvent()
  - Checkbox component, 355
  - Choice component, 337
  - List component, 348
  - Menu class, 375
- processKeyEvent(), 189
- processMouseEvent(), 189
- processMouseMotionEvent(), 189
- processTextEvent(), 311
- processWindowEvent(), 226
- properties
  - color, 84-86
  - font, 70-72
  - image, 55
  - printing, 498

pull-down lists (see pop-up lists; pop-up menus)

## Q

queue

- event (see events, event queue)
- listener (see AWTEventMulticaster class)

## R

radio buttons, 5

raised rectangles, 30

RANDOMPIXELORDER constant, 435

read()

- AudioStream class, 489
- AudioStreamSequence class, 491
- ContinuousAudioDataStream class, 490

read-only text, 308

rectangles

- bounding an object, 167
- copying, 26
- determining size of, 44
- as drawing area, 24
- drawing, 29
- filling, 29-30
- intersections with, 48-49
- raised (with shadow effect), 30
- Rectangle class, 44-50, 763
- for repainting, 132
- with rounded corners, 29
- size of, 46-49

red (color), 82-83, 415, 417-418, 421

redrawrate parameter, 172

RELATIVE constant, 280

REMAINDER constant, 280

remove()

- AWTEventMulticaster class, 157
- Choice component, 333
- Component class, 179
- Container class, 211
- Frame class, 229
- List component, 340
- Menu class, 372
- MenuBar class, 377
- MenuContainer interface, 364
- remove listener interfaces, 156

removeActionListener()

- Button class, 196
- List component, 348

MenuItem class, 368

TextField class, 318

removeAdjustmentListener()

- Adjustable interface, 401
- Scrollbar class, 393

removeAll()

- Choice component, 333
- Container class, 211
- List component, 340
- Menu class, 372

removeComponentListener(), 186

removeConsumer()

- FilteredImageSource class, 425
- ImageProducer interface, 423
- MemoryImageSource class, 427

removeContainerListener(), 215

removeFocusListener(), 186

removeImage(), 62

removeInternal(), 157

removeItemListener()

- Checkbox component, 355
- Choice component, 336
- List component, 347
- Menu class, 375

removeKeyListener(), 186

removeLayoutComponent()

- BorderLayout layout, 260
- CardLayout layout, 267
- FlowLayout layout, 256
- GridLayout layout, 264, 275
- HorizBagLayout layout, 295
- LayoutManager interface, 251, 286
- VerticalBagLayout layout, 296

removeMouseListener(), 186

removeMouseMotionListener(), 187

removeNotify()

- Container class, 174, 217
- List component, 344
- Menu class, 372
- MenuBar class, 378
- MenuComponent class, 362
- TextComponent class, 309

removeTextListener(), 311

removeWindowListener(), 226

repaint(), 170

replaceItem(), 340

replaceRange(), 322

replaceText(), 322

ReplicateScaleFilter(), 468

ReplicateScaleFilter class, 37, 467, 943  
 requestFocus(), 177  
 requestTopDownLeftRightResend()  
     FilteredImageSource class, 425  
     ImageProducer interface, 423  
     MemoryImageSource class, 427  
 resendTopDownLeftRight(), 455  
 resetting images, 55  
 reshape(), 167  
 resize()  
     Applet class, 480  
     Component class, 167  
 resolution, monitor, 499  
 resources for further reading, xx  
 resources, system (see performance)  
 RGB colors, 81, 83, 92, 415, 417  
     RGBImageFilter class, 462-465, 946  
 RGBtoGSB(), 86  
 RIGHT\_ALIGNMENT constant, 163  
 rounded corners, 29  
 rowHeights[] variable, 274  
 rows (see alignment)  
 rowWeights[] variable, 274

## S

sample programs, obtaining, xvii  
 SCALE\_hints, 53  
 screen resolution, 499  
 screen size, 499  
 SCROLL\_events, 391-393  
 Scrollbar(), 387  
 SCROLLBARS\_constants, 402  
 scrolling, 385-407  
     Adjustable interface, 399-401, 553  
     images (example), 393-399  
     with multiline text input, 319  
     Scrollbar class, 8, 386-393, 775  
     scrollbar color, 90  
     ScrollbarPeer interface, 975  
     scrolling events, 109, 391-393, 405  
     ScrollPane class, 770  
     ScrollPane container, 401-407  
     ScrollPanePeer interface, 977  
 ScrollPane container, xiv, 8, 17  
 select()  
     Choice component, 334  
     List component, 342  
     TextComponent class, 307  
 selectAll(), 307  
 SELECTED constant, 145  
 separator menu items, 371  
 setActionCommand()  
     Button component, 193  
     MenuItem class, 368  
 setAlignment()  
     FlowLayout layout, 255  
     Label component, 191  
 setAnimated(), 427  
 setBackground(), 164  
 setBlockIncrement()  
     Adjustable interface, 401  
     Scrollbar class, 390  
 setBounds()  
     Component class, 167  
     Rectangle class, 46  
 setCaretPosition(), 307, 472  
 setCheckboxGroup(), 351  
 setClip(), 25  
 setColFraction(), 299  
 setColor(), 24  
 setColorModel()  
     ImageConsumer interface, 436  
     ImageFilter class, 454  
     PixelGrabber class, 447  
     RGBImageFilter class, 463  
 setColumns()  
     GridLayout layout, 264  
     TextArea class, 323  
     TextField class, 313  
 setConstraints(), 276  
 setContents(), 508  
 setCurrent(), 357  
 setCursor()  
     Component class, 166  
     Frame class, 229  
 setDimensions()  
     CropImageFilter class, 466  
     ImageConsumer interface, 436  
     ImageFilter class, 454  
     PixelGrabber class, 446  
     ReplicateScaleFilter class, 468  
 setDirectory(), 243  
 setEchoCharacter(), 314  
 setEchoChar(), 314  
 setEditable(), 308  
 setEnabled()  
     Container class, 177  
     MenuItem class, 367

- setEnabled() (continued)
- setFilenameFilter(), 244
- setFile(), 244
- setFont()
  - Component class, 164
  - Graphics class, 23
  - MenuComponent class, 361
- setForeground(), 164
- setFullBufferUpdates(), 428
- setHelpMenu(), 378
- setHgap()
  - BorderLayout layout, 259
  - CardLayout layout, 267
  - FlowLayout layout, 256
  - GridLayout layout, 264
- setHints()
  - AreaAveragingScaleFilter class, 469
  - ImageConsumer interface, 437
  - ImageFilter class, 454
  - PixelGrabber class, 447
- setHumanPresentableName(), 504
- setIconImage(), 229
- setKeyCode(), 137
- setLabel()
  - Button class, 192
  - Checkbox component, 351
  - MenuItem class, 366
- setLayout()
  - Container class, 212
  - ScrollPane container, 403
- setLineIncrement(), 390
- setLocale(), 165
- setLocation()
  - Point class, 42
  - Rectangle class, 46
- setLocation()
  - Component class, 166
- setMaximum()
  - Adjustable interface, 401
  - Scrollbar class, 389
- setMenuBar(), 229
- setMinimum()
  - Adjustable interface, 400
  - Scrollbar class, 389
- setModal(), 237
- setMode(), 244
- setModifiers(), 137
- setMultipleMode(), 342
- setMultipleSelections(), 342
- setName(), 178
- setOrientation()
  - Adjustable interface, 400
  - Scrollbar class, 388
- setPageIncrement(), 390
- setPaintMode(), 28
- setPixels()
  - AreaAveragingScaleFilter class, 469
  - CropImageFilter class, 466
  - ImageConsumer interface, 437
  - ImageFilter class, 455
  - PixelGrabber class, 447
  - ReplicateScaleFilter class, 468
  - RGBImageFilter class, 463
- setProperties()
  - CropImageFilter class, 465
  - ImageConsumer interface, 436
  - ImageFilter class, 454
  - PixelGrabber class, 447
  - ReplicateScaleFilter class, 468
- setResizable()
  - Dialog class, 236
  - Frame classM, 229
- setRowFraction(), 299
- setRows()
  - GridLayout layout, 264
  - TextArea class, 323
- setScrollPosition(), 404
- setSelectedCheckbox(), 357
- setSelectionEnd(), 307
- setSelectionStart(), 307
- setShortcut(), 366
- setSize()
  - Dimension class, 43
  - Rectangle class, 47
- setSize()
  - Component class, 167
- setState()
  - Checkbox component, 351
  - CheckboxMenuItem class, 374
- setStub(), 476
- setText(), 190
  - TextComponent class, 306
- setTitle(), 228
  - Dialog class, 235
- setUnitIncrement(), 390
  - Adjustable interface, 401

- setValue()
  - Adjustable interface, 400
  - Scrollbar class, 389
- setValues(), 389
- setVgap()
  - BorderLayout layout, 259
  - CardLayout layout, 267
  - FlowLayout layout, 256
  - GridLayout layout, 264
- setVisible(), 176
- setVisibleAmount()
  - Adjustable interface, 400
  - Scrollbar class, 389
- setXORMode(), 27
- shadow colors, 83, 89, 92
- shapes, 28-35
  - checkboxes, 351
  - of cursors, 205, 227
  - polygons, 33, 50-52, 756
  - rectangles (see rectangles)
  - Shape interface, 44, 782
- Shift key (see modifiers)
- shiftDown(), 114
- shortcuts, menu, 364-365, 377, 750
- shortcuts(), 377
- show()
  - CardLayout layout, 269
  - Component class, 176
  - Dialog class, 237
  - PopupMenu class, 383
  - Window class, 224
- showDocument(), 486
- showing, component, 175-176
- showStatus()
  - Applet class, 479
  - AppletContext interface, 487
- SINGLEFRAME constant, 436
- SINGLEFRAMEDONE constant, 435
- single-line input (see text, TextField class)
- SINGLEPASS constant, 436
- size, 211
  - applets, 480, 488
  - audio data length, 490
  - color map, 421
  - components, 211-214, 251
  - cropping images, 465
  - Dimension class for, 43
  - font, 68, 70
    - character width, 76-78
    - font height, 74-76
  - HEIGHT, WIDTH parameters
    - (<APPLET> tag), 997
  - image, 54, 410, 436
  - image data, 448
  - line width, 28
  - monitor (screen), 499
  - objects, components for, 166-170
  - pixel, 415
  - rectangle, 46-49
  - scrollbars, 403
  - string length in pixels, 77
  - text input objects, 313-314
    - (see also layouts)
- SizedTextField class (example), 328-330
- SOMEBITS constant, 411
- sources, image, 1015
- startGrabbing(), 448
- startProduction()
  - FilteredImageSource class, 425
  - ImageProducer interface, 423
  - MemoryImageSource class, 427
- start()
  - Applet class, 479
  - AudioPlayer class, 492
- state
  - checkbox, 351
  - checkbox menu items, 373
  - component, 174-177
- STATICIMAGEDONE constant, 435
- status
  - applet, 479, 487
  - browser status line, 479, 487
  - image grabbing, 448
  - loading, 64-65, 411, 500
- status(), 448
- statusAll(), 65
- statusID(), 65
- stop()
  - Applet class, 480
  - AudioClip interface, 484
  - AudioPlayer class, 492
- strings, 23
  - pixel length of, 77
  - StringSelection class, 508, 825
  - toString() (see toString())
    - (see also characters)
- stringWidth(), 77
- style, font (see fonts)

substituteColorModel(), 464  
 sun.awt package, layouts from, 294-302  
 sync(), 503  
 synchronization  
     containers and, 210  
     image grabbing and, 452  
 SystemColor class, 87-92, 783

## T

target, event, 96, 103  
     (see also events)  
 text, 23, 505  
     color of, 89-90  
     inserting with carets, 307  
     read-only, 308  
     selecting with mouse, 306-307  
     style of (see fonts)  
     text strings, 23  
     TextArea class, 4, 319-328, 790  
     TextAreaPeer interface, 978  
     TextComponent class, 305-311, 796  
     TextComponentPeer interface, 981  
     TextEvent class, 146, 891  
     TextField class, 4, 311-319, 328-330, 800  
     TextFieldPeer interface, 983  
     TextListener interface, 152, 892  
     (see also data; fonts)  
 TEXT\_ constants, 146  
 textHighlight color, 91  
 textHighlightText color, 91  
 textInactiveText color, 91  
 textText color, 91  
 textValueChanged(), 152  
 themes, color, 87-92  
 threads, animation and, 57  
 throwing errors/exceptions (see errors;  
     exceptions)  
 time and date  
     of events, 103, 133  
     pause between image repaints, 172  
 toBack(), 224  
 toFront(), 224  
 Toolkit(), 496  
 Toolkit class, 495-503, 805  
 TOP\_ALIGNMENT constant, 163  
 TOPDOWNLEFTRIGHT constant, 436  
 toString(), 131  
     AWTEvent class, 126  
     BorderLayout layout, 262

CardLayout layout, 269  
 CheckboxGroup class, 357  
 Color class, 87  
 Component class, 179  
 Dimension class, 44  
 Event method, 114  
 FlowLayout layout, 257  
 Font class, 73  
 FontMetrics class, 79  
 Graphics class, 40  
 GridBagLayout layout, 277  
 GridLayout layout, 266  
 HorizBagLayout layout, 295  
 Insets class, 220  
 MenuComponent class, 363  
 MenuShortcut class, 365  
 OrientableFlowLayout layout, 302  
 Point class, 42  
 Rectangle class, 50  
 SystemColor class, 92  
 VariableGridLayout layout, 300  
 VerticalBagLayout layout, 297  
     (see also paramString())  
 TRACK constant, 144  
 Transferable interface, 505, 828  
 transferFocus(), 178  
 translate()  
     Event method, 114  
     Graphics class, 39  
     Point class, 42  
     Rectangle class, 46, 52  
 translatePoint(), 140  
 transparency, 37

## U

UndefinedProperty constant, 53  
 underlining, 69  
 union(), 48  
 UNIT\_ constants, 143  
 UnsupportedFlavorException exception,  
     509, 829  
 update(), 57  
     Component class, 21, 170  
 UPDATE constant, 131  
 URLImageSource class, 1015  
 URLs, special, 486  
 user groups, Java, xxi  
 useShiftModifier(), 365  
 UUCP, obtaining examples by, xix

**V**

validate()  
     Component class, 175  
     Container class, 213  
 validateTree(), 214  
 validity, component, 174  
 VALUE parameter (<PARAM> tag), 998  
 VariableGridLayout layout, 297-300  
 versions  
     AWT, xiii, 2  
     Java, xiii  
 vertical  
     alignment (see alignment)  
     font height, 74-76  
     gaps (see gap settings)  
     scrollbars (see scrolling)  
     size (see size)  
     VerticalBagLayout layout, 296  
 visibility  
     component, 174-176  
     list items, 343  
     scrollbar, 324, 388, 400  
 VK\_ constants, 134  
 VSPACE parameter (<APPLET> tag), 997

**W**

waitAll(), 63  
 waitID(), 63  
 Web browsers (see browsers)  
 when variable, 103  
 width (see size)  
 WIDTH parameter (<APPLET> tag), 997  
 Window(), 222  
 WINDOW\_ constants, 129  
 Window container, 14  
 windowActivated(), 153  
 windowBorder color, 91  
 windowClosed(), 153  
 windowClosing(), 107, 153  
 windowDeactivated(), 153  
 windowDeiconified(), 107, 153  
 WindowEvent(), 131  
 windowIconified(), 107, 153  
 windowOpened(), 153  
 windowOpening(), 107  
 windows, 14, 221-227, 232  
     BorderLayout layout for, 12, 257-262,  
         557  
     colors for, 91

Window class, 222-227, 815  
 window events, 107  
 WindowAdapter class, 893  
 WindowEvent class, 129-131, 895  
 WindowListener interface, 152, 898  
 WindowPeer interface, 984  
 (see also frames)

**X**

XOR mode, 26